| 设 计 DESIGN | 杨华妹 2019. 10. 11 | 图纸名称 P | ART NAME | | | 图号/物料编码 PART NO. |
|---------------------|---------------------|--|-----------------|----------------------|-------------|------------------------------|
| 校 对 CO. BY | 宗培 | | | | | 16132000A17174 |
| 标准化 STANDARD | | TOSHIBA 加纳GR-RS508WE-PMN[06] 说明书 材料 MATERIAL | | | | |
| 业务 seller | 袁玮 | 图样标记 REL | 版本号 REV. NO. | 重量(g) WEIGHT | 比例 scale | 105g铜版纸 |
| 批准 AUTHORI ZE | | | 0 | | 1:1 | 美的冰箱事业部 |
| | | 共 TOTAL | 页 SHEETS | 第 页 NO. OF SHEETS | | MIDEA REFRIGERATION DIVISION |

技术要求

- 1. 尺寸: B5 (182*257)
- 2. 印刷颜色: 封面彩色, 内页单色;
- 3. 符合美的冰箱事业的最新版《QMB-GC08. 007 有害物质管理规定》的限值要求;
- 4. 样板需送设计部门封样。
- 5、未标注公差按GB/T1804-v级
- 6. 制件必须满足QMB-J53. 005 产品说明书及其它类似印刷件技术规范;

| 标记 MARKER | 变更内容 | 修改日期 | 签名 |
|--------------|-------------------------|--------------|-----|
| 1 | 自M0-895716订单开始更改P13尺寸标注 | 2019. 11. 14 | 杨华妹 |
| | | | |
| | | | |
| | , | | |
| | | | |
| | | | |

TOSHIBA

REFRIGERATOR FREEZER

For Home Use Only

GR-RS508WE-PMN [06]



- Thank you very much for purchasing this Toshiba product.
- Read this Owner's Manual and become completely familiar with the product before use in order to use this product safely and correctly.
- Keep this Owner's Manual in a handy place for future reference.
- Make sure that you received your warranty.

CONTENTS

| 1. Safety warnings | 2 |
|--|----|
| 1.1 Warning | 2 |
| 1.2 Meaning of safety warning symbols | 6 |
| 1.3 Electricity related warnings | 6 |
| 1.4 Warnings for using | |
| 1.5 Warnings for placement | 8 |
| 1.6 Warnings for energy | |
| 1.7 Warnings for disposal | 9 |
| 2. Proper use of refrigerators | 10 |
| 2.1 Placement | 10 |
| 2.2 Leveling feet | 11 |
| 2.3 Leveling door | 12 |
| 2.4 Changing the Light | |
| 2.5 Starting | |
| 3. Structure and functions | 14 |
| 3.1 Key components | 14 |
| 3.2 Functions | |
| 3.3 Fetching water and Ice | 19 |
| 4. Maintenance and care of the appliance | 21 |
| 4.1 Overall cleaning | 21 |
| 4.2 Cleaning of door tray | 21 |
| 4.3 Clean the Ice Container | 22 |
| 4.4 Cleaning of Glass shelf | 22 |
| 4.5 Defrosting | |
| 4.6 Out of operation | |
| 5. Trouble shooting | 24 |
| 6. Disposal of your appliance | |

1. Safety warnings

READ SAFETY PRECAUTIONS BEFORE INSTALLATION

To prevent injury to the user or other people and property damage, the following instructions must be followed. Incorrect operation due to ignoring of instructions may cause harm or damage.

1.1 Warning





Warning: risk of fire / flammable materials

- WARNING: Risk of fire disaster and explosion
 The refrigerant of the appliance is flammable, please be care not to damange the cooling pipes during installation and transportation.if gas leakage happens, please contact the distributor or local service agent, and the following precautions should be always taken:
 - 1. Open the windows for ensuring good ventilation.
 - 2. No fire around and please do not use other electric appliance.
- This appliance is intended to be used in household and similar applications such as staff kitchen areas in shops, offices and other working environments; farm houses and by clients in hotels, motels and other residential type environments; bed and breakfast type environments; catering and similar non-retail applications.
- Children should be supervised to ensure that they do not play with the appliance.
- WARNING: Risk of fire disaster and electric shock
 The power cord should be replaced when it has been damaged.
 please contact the distributor or local service agent for replacement.
- Please unplug the power plug from socket when clean the appliance or leave the appliance nonuse for a long time.
- Do not use extension cord or ungrounded (two prong) adapters.
- WARNING: Keep ventilation openings, in the appliance enclosure or in the built-in structure, clear of obstruction.

- WARNING: Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- WARNING: Do not damage the refrigerant circuit.
- WARNING: Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- WARNING:Please abandon the refrigerator according to local regulators for it use flammable blowing gas and refrigerant.
- WARNING: When positioning the appliance, ensure the supply cord is not trapped or damaged.
- WARNING: Do not locate multiple portable socket-outlets or portable power supplies at the rear of the appliance.
- DANGER: Risk of child entrapment. Before you throw away your old refrigerator or freezer:
 - -Take off the doors.
 - -Leave the shelves in place so that children may not easily climb inside.
- The refrigerator must be disconnected from the source of electrical supply before attempting the installation of accessory.
- Refrigerant and cyclopentane foaming material used for the refrigerator are flammable. Therefore, when the refrigerator is scraped, it shall be kept away from any fire source and be recovered by a special recovering company with corresponding qualification other than be disposed by combustion, so as to prevent damage to the environment or any other harm.

- For EN standard: This appliance can be used by children aged from 8 years and above and persons with reduce physical sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- For IEC standard: This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.)
- Please do not use the appliance on traffic means(such as ship and so on).
- If noise, odor and smoking happens, please unplug the power plug immediately, and contact the distributor or local service agent.
- Please do not put your hands under or behind the appliance to prevent from being hurt.
- Please leave the packing materials and other parts out of the reach of children to prevent from risk of suffocation.
- To avoid contamination of food, please respect the following instructions:
- Opening the door for long periods can cause a significant increase of the temperature in the compartments of the appliance.
- Clean regularly surfaces that can come in contact with food and accessible drainage systems.
- Store raw meat and fish in suitable containers in the refrigerator,
 so that it is not in contact with or drip onto other food.
- Two-star ** frozen-food compartments are suitable for storing pre-frozen food, storing or making ice-cream and making ice cubes. (note 1)

- One * -,two ** -and three-star ** compartments are not suitable for the freezing of fresh food. (note 2)
- If the refrigerating appliance is left empty for long periods, switch off, defrost, clean, dry, and leave the door open to prevent mould developing within the appliance.
- Note 1,2 : Please confirm whether it is applicable according to you product compartment type.

1.2 Meaning of safety warning symbols



This is a prohibition symbol.

Any incompliance with instructions marked with this symbol may result in damage to the product or endanger the personal safety of the user.



This is a warning symbol.

It is required to operate in strict observance of instructions marked with this symbol; or otherwise damage to the product or personal injury may be caused.




This is a cautioning symbol.

Instructions marked with this symbol require special caution. Insufficient caution may result in slight or moderate injury, or damage to the product.

This manual contains lots of important safety information which shall be observed by the users.

1.3 Electricity related warnings





- Do not pull the power cord when pulling the power plug of the refrigerator. Please firmly grasp the plug and pull out it from the socket directly.
- To ensure safe use, do not damage the power cord or use the power cord when it is damaged or worn.
- Please do not touch the power plug with wet hand to prevent from electric shock.




 Please use a dedicated power socket and the power socket shall not be shared with other electrical appliances. The power plug should be firmly contacted with the socket or else fires might be caused.











 Do not use electrical appliances on the top of the appliance, unless they are of the type recommended by the manufacturer.



1.4 Warnings for using



Do not arbitrarily disassemble or reconstruct the refrigerator, nor damage the refrigerant circuit; maintenance of the appliance must be conducted by a specialist.



Damaged power cord must be replaced by the manufacturer, its maintenance department or related professionals in order to avoid danger.

The gaps between refrigerator doors and between doors and refrigerator body are small, be noted not to put your hand in these areas to prevent from squeezing the finger. Please be gentle when close the refrigerator door to avoid falling articles.



- Do not pick foods or containers with wet hands in the freezing chamber when the refrigerator is running, especially metal containers in order to avoid frostbite.
- Do not allow any child to get into or climb the refrigerator; otherwise suffocation or falling injury of the child may be caused.
- Please do not put heavy or dangerous objects on top of the appliance(bottles,tableware,or something containing liquid)

1.5 Warnings for placement



 Do not put flammable, explosive, volatile and highly corrosive items in the refrigerator to prevent damages to the product or fire accidents.



 Do not place flammable items near the refrigerator to avoid fires.



- The refrigerator is intended for household use, such as storage of foods; it shall not be used for other purposes, such as storage of blood, drugs or biological products, etc.
- Do not store beer, beverage or other fluid contained in bottles or enclosed containers in the freezing chamber of the refrigerator; or otherwise the bottles or enclosed containers may crack due to freezing to cause damages.

1.6 Warnings for energy

- Refrigerating appliances might not operate consistently (possibility of defrosting of contents or temperature becoming too warm in the frozen food compartment) when sited for an extended period of time below the cold end of the range of temperatures for which the refrigerating appliance is designed.
- The fact that effervescent drinks should not be stored in food freezer compartments or cabinets or in low-temperature compartments or cabinets, and that some products such as water ices should not be consumed too cold;
- The need to not exceed the storage time(s) recommended by the food manufacturers for any kind of food and particularly for commercially quick-frozen food in food-freezer and frozen-food storage compartments or cabinets;
- The precautions necessary to prevent an undue rise in the temperature of the frozen food while defrosting the refrigerating appliance, such as wrapping the frozen food in several layers of newspaper.
- The fact that a rise in temperature of the frozen food during manual defrosting, maintenance or cleaning could shorten the storage life.
- The necessity that, for doors or lids fitted with locks and keys, the keys be kept out of the reach of children and not in the vicinity of the refrigerating appliance, in order to prevent children from being locked inside.

1.7 Warnings for disposal



Refrigerant and cyclopentane foaming material used for the refrigerator are flammable. Therefore, when the refrigerator is scrapped, it shall be kept away from any fire source and be recovered by a special recovering company with corresponding qualification other than be disposed by combustion, so as to prevent damage to the environment or any other harm.




When the refrigerator is scrapped, disassemble the doors, and remove gasket of door and shelves; put the doors and shelves in a proper place, so as to prevent trapping of any child.

2. Proper use of refrigerators

2.1 Placement









 Before the refrigerator is moved, take all objects inside out, fix the glass partitions, vegetable holder, freezing chamber drawers and etc. with tape, and tighten the leveling feet; close the doors and seal them with tape. During moving, the appliance shall not be laid upside down or horizontally, or be vibrated; the inclination during movement shall be no more than 45°.



 Before use, remove all packing materials, including bottom cushions, foam pads and tapes inside of the refrigerator; tear off the protective film on the doors and the refrigerator body. Keep away from heat and avoid direct sunlight. Do not place the freezer in moist or watery places to prevent rust or reduction of insulating effect.



- Do not spray or wash the refrigerator; do not put the refrigerator in moist places easy to be splashed with water so as not to affect the electrical insulation properties of the refrigerator.
- The refrigerator is placed in a well-ventilated indoor place; the ground shall be flat, and sturdy (rotate left or right to adjust the wheel for leveling if unstable).



The top space of the refrigerator shall be greater than 30cm, and the refrigerator should be placed against a wall with a free distance more than 10cm to facilitate heat dissipation.



Precautions before installation:

Before installation or adjusting of accessories, it shall be ensured that the refrigerator is disconnected from power. Precautions shall be taken to prevent fall of the handle from causing any personal injury.

2.2 Leveling feet


1. Precautions before operation:

Before operation of accessories, it shall be ensured that the refrigerator is disconnected from power.

2. Schematic diagram of the levelling feet:

Before adjusting the leveling feet, precautions shall be taken to prevent any personal injury.

- 3. Adjusting procedures:
- a. Turn the feet clockwise to raise the refrigerator;
- b. Turn the feet counterclockwise to lower the refrigerator;
- c. Adjust the right and left feet based on the procedures above to a horizontal level.




(The picture above is only for reference. The actual configuration will depend on the physical product or statement by the distributor)


2.3 Leveling door

1. Precautions before operation:

Before operation of accessories, it shall be ensured that the refrigerator is disconnected from power. Before adjusting the door, precautions shall be taken to prevent any personal injury.

2. Schematic diagram of levelling the door body.





(The picture above is only for reference. The actual configuration will depend on the physical product or statement by the distributor)

When the fridge door is low:

• Open the door, use a wrench to loosen the locking nut and to rotate the adjusting nut anti-clockwise to raise the height of the door. Once the doors are aligned, then tighten the locking nut by rotating it anti-clockwise.


When the fridge door is high:

• Open the door, use a wrench to rotate the adjusting nut clockwise to lower the height of the door. Once the doors are aligned, then tighten the locking nut by rotating it anti-clockwise.


2.4 Changing the Light

Any replacement or maintenance of the LED lamps is intended to be made by the manufacturer, its service agent or similar qualified person.

2.5 Starting



 Before putting any fresh or frozen foods, the refrigerator shall have run for 2-3 hours, or for above 4 hours in summer when the ambient temperature is high.




 Spare enough space for convenient opening of the doors and drawers or statement by the distributor.


2.6 Energy saving tips

- The appliance should be located in the coolest area of the room, away from heat producing appliances or heating ducts, and out of the direct sunlight.
- Let hot foods cool to room temperature before placing in the appliance. Overloading the appliance forces the compressor to run longer. Foods that freeze too slowly may lose quality, or spoil.
- Be sure to wrap foods properly, and wipe containers dry before placing them in the appliance. This cuts down on frost build-up inside the appliance.
- Appliance storage bin should not be lined with aluminum foil, wax paper, or paper toweling. Liners interfere with cold air circulation, making the appliance less efficient.
- Organize and label food to reduce door openings and extended searches. Remove as many items as needed at one time, and close the door as soon as possible.

3. Structure and functions

3.1 Key components





(The picture above is only for reference. The actual configuration will depend on the physical product or statement by the distributor)

Refrigerating chamber


- The Refrigerating Chamber is suitable for storage of a variety of fruits, vegetables, beverages and other food consumed in the short term.
- Cooking foods shall not be put in the refrigerating chamber until cooled to room temperature.
- Foods are recommended to be sealed up before putting into the refrigerator.
- The glass shelves can be adjusted up or down for a reasonable amount of storage space and easy use.

Freezing chamber

- The low temperature freezing chamber may keep food fresh for a long time and it is mainly used to store frozen foods and making ice.
- The freezing chamber is suitable for storage of meat, fish, rice balls and other foods not to be consumed in short term.
- Chunks of meat are preferably to be divided into small pieces for easy access. Please be noted food shall be consumed within the shelf time.

Note: Storage of too much food during operation after the initial connection to power may adversely affect the freezing effect of the refrigerator. Foods stored shall not block the air outlet; or otherwise the freezing effect will also be adversely affected.

3.2 Functions



(The picture above is only for reference. The actual configuration will depend on the physical product or statement by the distributor)

Display screen

- 1. Freezer compartment temperature
- 2. Super REF.
- 3. Super FRZ
- 4. Refrigerate compartment temperature
- 5. Vacation icon
- 6. Water Filter
- 7. Ice off
- 8. Fetching ice cubes
- 9. Fetching crushed ice
- 10. Fetching cold water
- 11. Lock/unlock icon

Button operation

- A. Freezer compartment temperature adjustment
- B. Refrigerate compartment temperature adjustment
- C. Mode setting
- E. Fetching ice/ Fetching water/Filter set
- D. Ice OFF/ON botton
- F. Lock/unlock controls

Operation instructions

1. The first time the power was turn on for the refrigerator, the display screen will total display for 3 seconds. Meanwhile the starting up bell rings and then the screen enters the normal display of the operation. The first time for using the refrigerator, temperatures of refrigerating chamber, temperature and freezing chamber should be set at 5° C/-18 °C respectively.

When the error occurs, the display shows the error code in refrigerating temperature displaying area (see next page); during normal operation, the display shows the set temperature of the cooling compartment.

Under normal circumstances, if there is no any manual operation on refrigerator last for 30 seconds, the control panel will lock itself automatically, and in locked state, the display light will go out after 30 seconds.

2. Lock ⊕ / unlock ⊕

In the unlocked \odot state, long press the button for 3 seconds, enter the locked \odot state; In the locked \odot state, long press the button for 3 seconds, enter the unlocked \odot state. All the following functions must be operated in the unlocked status.

3. Mode setting

Press mode button hope to select different control mode.

4. Vacation mode

Press the button for to enter the vacation mode. Icon is lights up, the vacation mode will will take effect after panel locked.

Press the button FRZ.TEMP. or REF.TEMP. to exit the vacation mode.

5. Super REF.mode 🖓

Press the button \bigcirc to enter the quick cooling mode. Icon \bigcirc lights up, the quick cooling mode will take effect after panel locked.

Press the button REF.TEMP. to exit the Quick cooling mode.

6. Super FRZ. mode \$\\$

Press the button to enter the quick freezing mode. Icon \$\square\$ lights up, the quick freezing mode will take effect after panel locked.

Press the button FRZ.TEMP. to exit the Quick freezing mode.

7. Temperature setting of refrigerating chamber $\left\{ \frac{1}{2} \right\}_{c}$

Press temperature adjusting button of the refrigerating chamber refriew, the refrigerating temperature displaying will blink, Then press the button refriew again to set the temperature, it will has beeps when do temperature adjustment. temperature setting range is between 2°C and 8°C. Every time you press the button, the temperature will change 1°C. After adjusting, the refrigerating temperature will blink for 5 seconds. -New temperature setting will take effect after panel locked.

8. Temperature setting of freezing chamber $- \Theta \Theta_c$

Press temperature adjusting button of the freezing chamber FRZ.TEMP, the freezing temperature displaying will blink. Then press the button FRZ.TEMP again to set the temperature, it will have beeps when do temperature adjustment. Temperature setting range is between -16°C and -24°C. Every timeyou press the button, the temperature will change 1°C. After adjusting, the freezing temperature will blink for 5 seconds. New temperature setting will take effect after panel locked.

9. Quick-freeze time setting

In quick-freeze mode, long press the "FRZ.TEMP" button for 3 seconds, the refrigerating temperature area will display the existing quick-freeze time, click the "FRZ.TEMP" button again to set the quick-freeze time, the setting circulates as "26-48-26-48..., lock the panel or long press the "FRZ.TEMP" button for 3 seconds to exit the quick-freeze time setting.

The 48 hours quick-freeze time is mainly for laboratory testing, not recommended for end-

consumers.

10. ICE OFF

Press the button 1 ICE OFF , the icon s will shine or go out, what means the switching off/on of ice maker.

11. DISPERNSER

Press the button PISPENSER to enter the ice/water selection condition; the selection circulation will show as "Fetching ice cubes /Fetching crushed ice/ Fetching water / none", and then the corresponding icon on the panel will shine successively.

when the refrigerator is running, the working time of the water filter will be accumulated; after 150 days, the water filter icon will shine. when it reaches 180 days, the water filter icon will blink; long press the button OBSPENSER for 3s to reset the service time of water filter.

12. Storage upon power failure

In case of power failure, the instant working state will be memorized and maintained till reelectrification.

13. Opening warning and alarm control

When the refrigerator chamber door gets open, the warning tone will play. If the door is not closed in two minutes, the buzzer will sound once every second until the door is closed.

14. Fault indication


The following warnings appearing on the display indicate corresponding faults of the refrigerator. Though the refrigerator may still have refrigerator and freezing function with the following faults, the user shall contact a maintenance specialist for maintenance, so as to ensure normal use of the refrigerator.


| Error Code | Error Description | Error Code | Error Description |
|---------------|---|---------------|---|
| EO | icemaker error | E6 | Communication error |
| E1 | Temperature sensor detection circuit error of refrigerating chamber | E7 | Circulation of ambient temperature sensor detection circuit error |
| E2 | Temperature sensor detection circuit error of freezing chamber | EE | Icemaker sensor circuit error |
| E5 | Freezing defrost sensor detection circuit error | EH | Moisture sensor error |

3.3 Fetching water and Ice

- Sounds will be produced during making ice cubes and crushed ice: Water valve will produce buzzing sounds; water's flowing into ice vessel will produce sounds; grinding machine's grinding ice into small pieces or product ice's falling into the container will produce sounds. The sounds are normal.
- Scratching noises may be produced when taking out the ice cubes. Nothing to worry about this. The ice in the container may be stuck together. In such cases, please take out the ice container and separate stuck ice into pieces by means of, for instance, using plastic or wooden spoons to push hard on the ice carefully.
- Other possibilities are illustrated in the chapter "ice container cleaning" To avoid overheating
 of the ice-making machine's engine, please fetch ice about 1 minute after the stopping.
 Please wait for a while until the engine's temperature reaches working temperature. Please
 fetch the ice from the ice container if you need a lot of ice.
- The chapter "ice container cleaning" explains how to remove ice container from freezer compartment. If there is no enough ice in the ice container, the ice cannot be taken out. Please wait for a while until new ice is made. To prevent ice smell or bad taste of the ice, please clean the ice container regularly.
- Ice and water can only be fetched when the door of freezer compartment is closed. In the process of fetching water and ice, if you open the freezer door, that process will automatically end.

1) Fetching cold water







Keep clicking the buttons DISPENSER until the icon urns on.

Push the container in the direction of fetching water cushion, Cold water starts to flow into the container.

Remove the container from fetching water cushion and end the exporting of water.

2. Fetching crushed ice







Keep clicking the buttons OISPENSER until the icon turns on.

Make the container tight with mouth of dispenser to prevent the side jet.

Press the container in the direction of fetching water cushion. Fill the container with crushed ice. Remove the container from fetching water cushion and end the exporting of crushed ice.

3.Fetching ice cubes






Keep clicking the buttons $\bigcap_{\text{FILTER RESET/3S}} \text{DISPENSER}$ until the icon $\bigcap_{\text{FILTER RESET/3S}} \text{turns on.}$ Push the container in the direction of fetching water cushion.

Ice cubes start to fall into the container.

Remove the container from fetching water cushion and end the exporting of ice cubes.

4. Cancel the function of ice-making



If the function of fetching water and ice is not used for long time, you can cancel the function of ice-making.

Press the button UICE OFF, the icon

4. Maintenance and care of the appliance

4.1 Overall cleaning


- Dusts behind the refrigerator and on the ground shall be timely cleaned to improve the cooling effect and energy saving.
- Check the door gasket regularly to make sure there are no debris. Clean the door gasket with a soft cloth dampened with soapy water or diluted detergent.
- The interior of the refrigerator should be cleaned regularly to avoid odor.
- Please turn off the power before cleaning interior, remove all foods, drinks ,shelves, drawers, etc.
- Use a soft cloth or sponge to clean the inside of the refrigerator, with two tablespoons of baking soda and a quart of warm water. Then rinse with water and wipe clean. After cleaning, open the door and let it dry naturally before turning on the power.
- For areas that are difficult to clean in the refrigerator (such as narrow sandwiches, gaps or corners), it is recommended to wipe them regularly with a soft rag, soft brush, etc. and when necessary, combined with some auxiliary tools (such as thin sticks) to ensure no contaminants or bacterials accumulation in these areas.
- Do not use soap, detergent, scrub powder, spray cleaner, etc., as these may cause odors in the interior of the refrigerator or contaminated food.
- Clean the bottle frame, shelves and drawers with a soft cloth dampened with soapy water or diluted detergent. Dry with a soft cloth or dry naturally.
- Wipe the outer surface of the refrigerator with a soft cloth dampened with soapy water, detergent, etc., and then wipe dry.
- Do not use hard brushes, clean steel balls, wire brushes, abrasives (such as toothpastes), organic solvents (such as alcohol, acetone, banana oil, etc.), boiling water, acid or alkaline items, which may damage the fridge surface and interior. Boiling water and organic solvents such as benzene may deform or damage plastic parts.
- Do not rinse directly with water or other liquids during cleaning to avoid short circuits or affect electrical insulation after immersion.



Please unplug the refrigerator for defrost and cleaning.


4.2 Cleaning of door tray

- According to the direction arrow in the figure below, use both hands to squeeze the tray, and push it upward, then you can take it out.
- After washing the tray having been taken out, you
 can adjust its installing height in accordance with
 your requirement.




4.3 Clean the Ice Container

• Ice in the ice container may block the outlet because of lumping or other reasons. In this case the ice container needs cleaning or eliminating block.



1. Press the () ICE OFF button to cancel the function of ice-making and power off the refrigerator(unplug from the socket). Hold the components of ice storage box by both hands and pull them upwards (1) and outwards horizontally (2).




- 2. Please dismantle Ice Container cover and clean Ice Container. The reverse operation is for assembly.
- 3. Close the door of freezer compartment. Insert the plug again.

 Press the ICE OFF button to activate the function of ice-making.

4.4 Cleaning of Glass shelf

- As the innermost part of the refrigerator liner where contacting the shelves has Z a backstop, you shall raise the shelves upward, then you can be able to take it out.
- Adjust or clean the shelves according to your requirement.



4.5 Defrosting

• The refrigerator is made based on the air-cooling principle and thus has automatic defrosting function. Frost formed due to change of season or temperature may also be manually removed by disconnection of the appliance from power supply or by wiping with a dry towel.

4.6 Out of operation

- Power failure: In case of power failure, even if it is in summer, foods inside the appliance can be kept for several hours; during the power failure, the times of door opening shall be reduced, and no more fresh food shall be put into the appliance.
- Long-time nonuse: The appliance shall be unplugged and then cleaned; then the doors are left open to prevent odor.
- Moving: Before the refrigerator is moved, take all objects inside out, fix the glass partitions, vegetable holder, freezing chamber drawers and etc. with tape, and tighten the leveling feet; close the doors and fix them with tape. During moving, the appliance shall not be laid upside down or horizontally, or be vibrated; the inclination during movement shall be no more than 45°.



The appliance shall run continuously once it is started. Generally, the operation of the appliance shall not be interrupted; otherwise the service life may be impaired.

5. Trouble shooting

 You may try to solve the following simple problems by yourself. If them cannot be solved, please contact the after-sales department.

| Occurrence | Possible cause/inspection items |
|---------------------------------------|--|
| Failed operation | Check whether the appliance is connected to power or whether the plug is in well contact Check whether the voltage is too low Check whether there is a power failure or partial circuits have tripped |
| Odor | Odorous foods shall be tightly wrapped Check whether there is any rotten food Clean the inside of the refrigerator |
| Long-time operation of the compressor | Long operation of the refrigerator is normal in summer when the ambient temperature is high It is not suggestible having too much food in the appliance at the same time Food shall get cool before being put into the appliance The doors are opened too frequently |
| Light fails to get lit | Check whether the refrigerator is connected to power supply and whether the illuminating light is damaged Have the light replaced by a specialist |
| Doors cannot be properly closed | The door is stuck by food packages Too much food is placed The refrigerator is tilted |
| Loud noise | Check whether the floor is level and whether the refrigerator is placed stably Check whether accessories are placed at proper locations |
| Door seal fails to be tight | Remove foreign matters on the door seal Heat the door seal and then cool it for restoration (or blow it with an electrical drier or use a hot towel for heating) |
| Water pan overflows | There is too much food in the chamber or food stored contains too much water,resulting in heavy defrosting The doors are not closed properly, resulting in frosting due to entry of air and increased water due to defrosting |
| Hot housing | Heat dissipation of the built-in condenser via the housing, which is normal When housing becomes hot due to high ambient temperature, storage of too much food or shutdown of the compressor is shut down, provide sound ventilation to facilitate heat dissipation |
| Surface condensation | Condensation on the exterior surface and door seals of the refrigerator is normal when the ambient humidity is too high. Just wipe the condensate with a clean towel. |
| Abnormal noise | Buzz: The compressor may produce buzzes during operation, and the buzzes are loud particularly upon start or stop. This is normal. Creak: Refrigerant flowing inside of the appliance may produce creak, which is normal. |

6. Disposal of your appliance



Correct Disposal of this product:

This marking indicates that this product should not be disposed with other household wastes throughout the EU. To prevent possible harm to the environment or human health from uncontrolled waste disposal, recycle it responsibly to promote the sustainable reuse of material resources. To return your used device, please use the return and collection systems or contact the retailer where the product was purchased. They can take this product for environmental safe recycling.

AMBIENT TEMPERATURE

This appliance is designed to operate in ambient temperature specified by its category marked on the rating plate.

| Climate category | Ambient temperature (from to) |
|------------------|-------------------------------|
| SN | +10°C to + 32°C |
| N | +16°C to + 32°C |
| ST | +16°C to + 38°C |
| Т | +16°C to + 43°C |

TOSHIBA