

TOSHIBA



LIFESTYLE APPLIANCES
FOR YOUR HOME SOLUTIONS




TOSHIBA



FOR YOUR HOME


ADVANCED TECHNOLOGIES

KEEP original
COLOR | SHAPE
TASTE | NUTRITION



PLASMA⁺
o°e PURE

Plasma pure compartment produce ions and electrons which can make germs losing biological activity, an adsorption odor and fresh cooling air to keep food fresh longer.



OriginFRESH™



AlloyCooling™

Alloy cooling on the back of the refrigerator dissipates heat faster, uniformly cooling the fridge at a faster rate.



3TM SYSTEM

Japanese Quality 3system™ refrigerator powered by toshiba Real INVERTER has 3 independent cooling systems that works independently to deliver the right amount of cold air for each unit without cross-contamination. The result is food that has a significantly longer shelf life, while maintaining the same moisture content, color and shape as the day the food was bought!



CONVERT ZONE



TEMP-HUMI CONTROL

Temp-Humi Control makes your life more convenient with TOSHIBA. It can keep food always in freshness by accurate temperature and humidity control. For different kinds of food, it provides the most suitable way to store it which can ensure the freshness at your hand all the time.



MULTI-DOOR

26 Compartments

A true family fridge, 26 compartments means there's more room for that one big weekly shop, 30% more than comparable fridges on the market.



Switch, As you wish

The flex zone with temperature setting from **-18 to 7°C**, can store vegetable, fruit, fish and meat within the same space.

Single cycle system

Conventional

TOSHIBA

3 SYSTEM + Dual INVERTER

3 SYSTEM™ independent cooling system / Dual INVERTER with energy saving


Japanese Quality 3 System refrigerator powered by Toshiba Dual INVERTER has 3 independent cooling systems that deliver the right amount of cold air for each unit without cross-contamination. The result is that food has a significantly longer shelflife, while maintaining the same moisture content, color and shape as the day the food was bought!

INVERTER

VS


NON-INVERTER

*Compared with Toshiba non-inverter products.



PLASMA PURE sterilization technology

Plasma pure produces ions and electrons which can kill bacteria, neutralize odors, and purify cool air to keep food fresh longer.



AlloyCooling back

360° Alloy cooling lowers temperature much faster, evenly cooling fridge at a faster rate.




Curved Surface LED Light

LED light brightens up softly when you open the door, illuminate the interior and making your eyes comfortable.

MULTI-DOOR

GR-RF646WE-PGY(24)

Specification


Climate:	T
Energy Class:	A+
Net Volume:	622L (R:438, F:91, V:100)
Dimensions (WxDxH)(mm):	905*775*1935
Load Capacity:	(20FT/40FT/40HQ) 14/28/28
Material Opinions:	 Dark Blue Glass Door

3 SYSTEM™ independent cooling system
 Dual INVERTER with energy saving
 PLASMA PURE sterilization technology
 AlloyCooling back
 26 compartments
 Convert freezer to fridge, adding another 91 L of space
 Large Curved Surface LED Light
 Four crispers of temperature and humidity control automatically
 Smart control with digital panel
 Dark Blue Glass Door



GR-RF610WE-PMY(37)

Specification

Climate:	SN/N/STT
Energy Class:	A+
Net Volume:	511L (R:337, F:133)
Dimensions (WxDxH)(mm):	833*648*1898
Load Capacity:	(20FT/40FT/40HQ) 21/43/52
Material Opinions:	 Satin Grey


Dual Cooling
 Origin INVERTER
 Pure BIO
 Moisture & Flexible Zone
 Dual Radar Sensors
 Alloy Cooling
 Multi-air Flow
 Free Position
 Smart Control with Digital Panel
 Satin Grey Door
 Easy Slide Tray
 Slide Crisper



MULTI-DOOR

GR-RF532WE-PGY(22)


Specification

Climate:	T
Energy Class:	A+
Net Volume:	500L (R:335, F:165)
Dimensions (WxDxH)(mm):	833*685*1898
Load Capacity:	(20FT/40FT/40HQ) 19/39/39
Material Opinions:	 Black Glass


1+3 MODE for different lifestyle
 Dual COOLING / 3 CYCLE independent cooling system
 Dual INVERTER with energy saving
 DUAL RADAR SENSORS
 PLASMA PURE sterilization technology
 AlloyCooling back
 Humidity Control Crisper
 Temperature adjustable chiller (-2 °C - 3 °C)
 LED Light is coming on gradually/Utility Box
 Heating dissipation bottom/Open door alarm
 Drawer metal slideway (bearing 55kg)
 Safety glass shelf (bearing 150kg)/Work noise free 39dB



1+3 MODE




1+3 MODE for different lifestyle



Whole Fresh
 Usage scenario:
 Parties, family meals, summer freezer are larger.



Top Off + Bottom Freeze
 Usage scenario:
 Daily life mode.



Top Off + Bottom Fresh
 Usage scenario:
 No need for frozen food.



Top Off + Bottom Freeze
 Usage scenario:
 No need to refrigerate food.



DUAL INVERTER with energy saving
 Not only compressor inverter and fan inverters. Fast cooling and freezing with less energy consumption.

ECO-FRIENDLY
 SAVE MONEY

DUAL RADAR SENSORS
 Radar sensors automatically perceive the differences in food temperature, independently adjusting temperature inside, and preventing excessive temperature fluctuations.



Humidity Control Crisper

HIGH



Suitable for storing foods that dehydrate quickly.

MED



Suitable for storing foods with medium humidity requirements, like fruit.

LOW



Suitable for storing foods with low humidity requirements.

SIDE-BY-SIDE



Inner Pure health water tank

The fridge comes with a large water tank connected to the ice and water dispensers, which can be easily installed anywhere without having to worry about installing pipes. The water tank is equipped with a water filter.

3 IN 1 Auto Ice Maker

Automatic Ice & Water Dispenser with 3 modes, Ice water, Crushed ice and Ice cube.



Ice water



Crushed ice



Ice cube



SIDE-BY-SIDE

GR-RS637WE-PMY(06)

Specification

Climate: T/ST/N/SN
Energy Class: A++
Net Volume: 493L (R:334, F:156)
Dimensions (WxDxH)(mm): 895*745*1788
Load Capacity: (20FT/40FT/40HQ) 18/36/48

Dual Inverter
Quick cooling air
3 in1 Auto Ice Maker / Water Dispenser
Inner Pure health water tank
Smart control with digital panel
Interior ECO LED light
Vacation mode / Child lock mode
Stainless steel handle



N0-frost



Energy efficiency



LED
Interior LED light



3 in 1
AUTO ICE MAKER
HumiTemp control



Quick cooling air



Digital touch panel

GR-RS682WE-PMY(06)

Specification

Climate: SN/N/STT
Energy Class: A+
Net Volume: 513L (R:337, F:133)
Dimensions (WxDxH)(mm): 833*648*1898
Load Capacity: (20FT/40FT/40HQ) 21/43/52

Dual Cooling
Origin INVERTER
Pure BIO
Moisture & Flexible Zone
Dual Radar Sensors
Alloy Cooling
Multi-air Flow
Free Position
Smart Control with Digital Panel
Satin Grey Door
Easy Slide Tray
Slide Crisper
Water Dispenser



N0-frost



Energy efficiency



LED
Interior LED light



3 in 1
AUTO ICE MAKER
HumiTemp control



Quick cooling air



Digital touch panel

TWO DOOR

(TOP MOUNTED FREEZER)



Solution:

In the refrigerator industry, Toshiba first adopted ORIGIN INVERTER technology, which spanned the first generation of single inverter technology. Both the compressor and the fan are inverter. The fan automatically sensed the change of the cooling capacity of the compressor and changed speed in 4 levels, improving cooling efficiency and energy saving by 17%*.



Solution:

Toshiba TMF Pure BIO is made of honeycomb ceramics, which can absorb unwanted smell efficiently. At the same time, it is plated with Ag+ ion catalyst. The sterilization and deodorization rate is up to 99.99%*, which can keep the refrigerator clean. Pure BIO can be reused by shined in sun in XXh. Environmentally friendly.

TWO DOOR (TOP MOUNTED FREEZER)

Capacity: <300L

GR-A28MS

Specification

Gross Volume: 252L
 Net Volume: 233L(R:61,F:172)
 Dimensions(W*D*H)(mm): 545*623*1545
 Load Capacity: 40HQ:100(units)

Inverter
 Top rank energy saving
 Ag+ Bio deodorizer system
 Storage tray cooling
 Adjustable door pocket
 Tempered glass shelf
 Flat design with Reseeded Handle
 Door available: PCM
 Colors available: Dark silver, Silver



Silver (S)



Dark Silver (DS)



GR-A28MU

Specification

Gross Volume: 252L
 Net Volume: 233L(R:61,F:172)
 Dimensions(W*D*H)(mm): 545*623*1545
 Load Capacity: 40HQ:100(units)

Inverter
 Top rank energy saving
 Ag+ Bio deodorizer system
 Chiller room cooling/Ice twist making
 Adjustable door pocket
 Tempered glass shelf
 Flat design with Reseeded Handle
 Door available: Uni-glass
 Colors available: Urban black, Urban blue



Urban Black (UK)



Urban Blue (UB)



GR-B22MP(SS)

Specification

Gross Volume: 203L
 Net Volume: 180L(R:61,F:119)
 Dimensions(W*D*H)(mm): 545*623*1285
 Load Capacity: 40HQ:105(units)

Top rank energy saving
 Ag+ Bio deodorizer system
 Storage tray cooling
 Tempered glass shelf
 Flat design with Reseeded Handle
 Door available: PCM
 Colors available: Star Silver



Star Silver



GR-B31MU(SS)

Specification

Gross Volume: 273L
 Net Volume: 253L(R:61,F:192)
 Dimensions(W*D*H)(mm): 545*623*1640
 Load Capacity: 40HQ:98(units)

Top rank energy saving
 Ag+ Bio deodorizer system
 Storage tray cooling
 Tempered glass shelf
 Flat design with Reseeded Handle
 Colors available: Star Silver



Star Silver



TWO DOOR (TOP MOUNTED FREEZER)

Capacity: **350L – 500L**

GR-A35MBZ(DS)

Specification

Gross Volume: 350L
 Net Volume: 305L(R:87,F:218)
 Dimensions(W"D"H)(mm): 600*717*1620
 Load Capacity: 40HQ:74(units)

Inverter
 Top rank energy saving
 Hybrid Bio deodorizer system
 Dual Cooling Zone
 Deodorizer for Freezer
 Adjustable door pocket
 Tempered glass shelf
 Flat design with Reseeded Handle
 Door available: PCM
 Colors available: Dark silver



Dark Silver



GR-A39MBZ(DS)

Specification

Gross Volume: 390L
 Net Volume: 330L(R:87,F:243)
 Dimensions(W"D"H)(mm): 600*717*1715
 Load Capacity: 40HQ:73(units)

Inverter
 Top rank energy saving
 Hybrid Bio deodorizer system
 Dual Cooling Zone
 Deodorizer for Freezer
 Adjustable door pocket
 Tempered glass shelf
 Flat design with Reseeded Handle
 Door available: PCM
 Colors available: Dark silver



Dark Silver



GR-A43MBZ(RS)

Specification

Gross Volume: 430L
 Net Volume: 357L(R:101,F:258)
 Dimensions(W"D"H)(mm): 680*717*1610
 Load Capacity: 40HQ:69(units)

Inverter/Utility box
 Ice twist making
 Top rank energy saving
 Dual Cooling Zone
 Eco mode/ Quick Freezing
 Tempered glass shelf
 Deodorizer for Freezer
 Adjustable door pocket
 Hybrid Bio deodorizer system
 Flat design with Reseeded Handle
 Door available: PCM
 Colors available: Refined Silver



Refined Silver



GR-A48MBZ(RS)

Specification

Gross Volume: 480L
 Net Volume: 407L(R:101,F:308)
 Dimensions(W"D"H)(mm): 680*717*1770
 Load Capacity: 40HQ:66(units)

Inverter/Utility box
 Ice twist making
 Top rank energy saving
 Dual Cooling Zone
 Eco mode/ Quick Freezing
 Tempered glass shelf
 Deodorizer for Freezer
 Adjustable door pocket
 Hybrid Bio deodorizer system
 Flat design with Reseeded Handle
 Door available: PCM
 Colors available: Refined Silver



Refined Silver



TWO DOOR (TOP MOUNTED FREEZER)

Capacity: **400L – 550L**

GR-AG43MDZ(XK)

Specification

Gross Volume:	430L
Net Volume:	357L(R:101,F:258)
Dimensions(W*D*H)(mm):	680*717*1610
Load Capacity:	40HQ:69(units)

Inverter
Utility box
Top rank energy saving
Ice twist making
Adjustable door pocket
Dual Cooling Zone
Eco mode/ Quick Freezing
Deodorizer for Freezer
LED Hybrid deodorizer system
Tempered glass shelf
Glass door with Reseeded Handle
Door available: Glass
Colors available: Glass black



Glass Black



GR-AG48MDZ(XK)

Specification

Gross Volume:	480L
Net Volume:	407L(R:101,F:308)
Dimensions(W*D*H)(mm):	680*717*1770
Load Capacity:	40HQ:66(units)

Inverter
Utility box
Top rank energy saving
Ice twist making
Adjustable door pocket
Dual Cooling Zone
Eco mode/ Quick Freezing
Deodorizer for Freezer
LED Hybrid deodorizer system
Tempered glass shelf
Glass door with Reseeded Handle
Door available: Glass
Colors available: Glass black



Glass Black



TWO DOOR (TOP MOUNTED FREEZER)

Capacity: **468L – 510L**

GR-H52MBZ(N)

Specification

Gross Volume:	520L
Net Volume:	468L(R:130,F:338)
Dimensions(W*D*H)(mm):	760*739*1748
LoadCapacity:	40HQ:42(units)

Inverter/Utility box
Top rank energy saving
Hybrid Bio deodorizer system
Dual Cooling Zone/Ice twist making
Deodorizer for Freezer
Eco mode/ Quick Freezing
Crisper Moisture Control
Adjustable door pocket
Tempered glass shelf
Flat design with Reseeded Handle
Door available: PCM
Colors available: Reddish Gold



Reddish Gold



GR-HG52MDZ(XK)

Specification

Gross Volume:	520
Net Volume:	468L(R:130,F:338)
Dimensions(W*D*H)(mm):	760*739*1748
LoadCapacity:	40HQ:42(units)

Inverter/Utility box
Top rank energy saving
LED Hybrid deodorizer system
Dual Cooling Zone/Ice twist making
Deodorizer for Freezer/Crisper Moisture Control
Eco mode/ Quick Freezing
Adjustable door pocket/Tempered glass shelf
Glass door with Reseeded Handle
Door available: Glass
Colors available: Glass Black



Glass Black



TWO DOOR (TOP MOUNTED FREEZER)

Capacity: >500L

GR-HG55MDZ

Specification

Gross Volume: 550L
 Net Volume: 505L(R:130,F:378)
 Dimensions(W*D*H)(mm): 760*739*1848
 Load Capacity: 40HQ:42(units)

Inverter/Utility box
 Top rank energy saving
 LED Hybrid deodorizer system
 Dual Cooling Zone/Ice twist making
 Deodorizer for Freezer
 Eco mode/ Quick Freezing
 Crisper Moisture Control
 Adjustable door pocket
 Tempered glass shelf
 Glass door with Reseeded Handle
 Door available: Glass
 Colors available: Gradation Blue Green, Glass Black



Gradation Blue Green (GG)



Glass Black (XK)



GR-A66M(S)

Specification

Gross Volume: 661L
 Net Volume: 611L(R:163,F:445)
 Dimensions(W*D*H)(mm): 805*739*1848
 Load Capacity: 40HQ:42(units)

Inverter/Utility box
 Top rank energy saving
 DUO Hybrid deodorizer system
 Ultra Fresh Cooling
 Ice twist making/Reseeded Handle
 Anti-Bacteria Crisper (Ag+)
 Tempered glass shelf
 Door available: PCM
 Colors available: Silver



Silver



GR-AG58MA

Specification

Gross Volume: 610L
 Net Volume: 555L(R:163,F:391)
 Dimensions(W*D*H)(mm): 803*739*1725
 Load Capacity: 40HQ:42(units)

Inverter/Utility box
 Top rank energy saving
 DUO Hybrid deodorizer system
 Ultra Fresh Cooling/Touch panel control
 Auto Ice Maker (AIM)/Tempered glass shelf
 Eco mode/ Quick Freezing
 Anti-Bacteria Crisper (Ag+)
 Glass door with Reseeded Handle
 Door available: Glass
 Colors available: Glass Black, Gradation Blue Green



Glass Black (XK)



Gradation Blue Green (GG)



GR-AG66MA

Specification

Gross Volume: 661L
 Net Volume: 608L(R:163,F:445)
 Dimensions(W*D*H)(mm): 803*739*1820
 Load Capacity: 40HQ:42(units)

Inverter/Utility box
 Top rank energy saving
 DUO Hybrid deodorizer system
 Ultra Fresh Cooling/Touch panel control
 Auto Ice Maker (AIM)/Tempered glass shelf
 Eco mode/ Quick Freezing
 Anti-Bacteria Crisper (Ag+)
 Glass door with Reseeded Handle
 Door available: Glass
 Colors available: Gradation Blue Green, Glass Black, Premium Gradation Brown



Gradation Blue Green (GG)



Glass Black (XK)



Premium Gradation Brown (PGB)



CHEST FREEZER

2 in 1 CHEST FREEZER

FREEZING

MAX

COOLING

2 Functions in 1 Product

Easy to use and adjust for both cooling and freezing, 10°C ~ -25°C



LED Lighting
Durable and energy saving
Bright and soft



Safety Key
Keep it locked
for safety purposes



White Inner
Beautiful and strong
Easy to clean



Removable Storage Basket
Convenient and easy
to remove



Grip Handle
Easy to Open-Close



Rat Protect Base
No large holes to
prevent rats going
inside




R600a Refrigerant
ECO-Friendly
Efficient

D-Shaped Pipe Refrigeration

Mechanism of Refrigeration

Evaporating pipe transmits cold heat to inner wall

Traditional freezer uses
O-type Refrigerating Pipe



Line contact
Small heat exchange area
Low refrigeration efficiency


VS

Toshiba freezer uses
D-type Refrigerating Pipe



More surface contact
Large heat exchange area
High refrigeration efficiency

2 in 1 Chest Freezer Control Panel



CHEST FREEZER

CR-A142M



Specification

Gross Volume:	185L
Net Volume:	142L / 5.0cu.ft
Refrigerant:	R600a
Voltage / frequency:	220V — 40V/50HZ
Product Dimensions (WxDxH)(mm):	730*523*850
Load Capacity:	(20FT/40FT/40HQ) 64/130/194
Defrosting:	Manual
Temperature Control:	Mechanical

Freezing and cooling 10 °C--25°C
 :D freezing tube
 Counter-balanced hinge
 Quiet & slim hinge
 Removable storage basket
 Hidden handle
 LED light

CR-A198M



Specification

Gross Volume:	258L
Net Volume:	198L / 7.0cu.ft
Refrigerant:	R600a
Voltage / frequency:	220V — 40V/50HZ
Product Dimensions (WxDxH)(mm):	945*523*850
Load Capacity:	(20FT/40FT/40HQ) 48/96/144
Defrosting :	Manual
Temperature Control:	Mechanical

Freezing and cooling 10 °C--25°C
 :D freezing tube
 Counter-balanced hinge
 Quiet & slim hinge
 Removable storage basket
 Hidden handle
 LED light

CR-A249M



Specification

Gross Volume:	320L
Net Volume:	249L / 8.8cu.ft
Refrigerant:	R600a
Voltage / frequency:	220V — 40V/50HZ
Product Dimensions (WxDxH)(mm):	980*600*850
Load Capacity:	(20FT/40FT/40HQ) 40/82/122
Defrosting:	Manual
Temperature Control:	Mechanical

Freezing and cooling 10°C--25°C
 :D freezing tube
 Counter-balanced hinge
 Quiet & slim hinge
 Removable storage basket
 LED light

CR-A295M










Specification

Gross Volume:	380L
Net Volume:	295L / 10.2cu.ft
Refrigerant:	R600a
Voltage / frequency:	220V — 40V/50HZ
Product Dimensions (WxDxH)(mm):	1115*670*850
Load Capacity:	(20FT/40FT/40HQ) 32/66/101
Defrosting:	Manual
Temperature Control:	Mechanical




Freezing and cooling 10°C--25°C
 :D freezing tube
 Counter-balanced hinge
 Quiet & slim hinge
 Removable storage basket
 LED light




PRODUCT SPECIFICATIONS

Series		Small Size 2 Door Series			
Model Name		GR-A28MS	GR-A28MU	GR-B22MP	GR-B31MU
					
Door Color		• Silver (S) • Dark Silver (DS)	• Urban Blue (UB) • Urban Black (UK)	• Star Silver	• Star Silver
Door Type		Steel	Uni Glass	Steel	Steel
5 Star EE Rating		5* (New Standard 2016)	5* (New Standard 2016)	4* (New Standard 2016)	5* (New Standard 2016)
Energy Consumption (kWh)		333	333	352	319
Capacity (Litre)	Gross Total	252	252	203	273
	Net Total	233	233	180	253
Product Dimensions (W x D x H)mm		546 x 623 x 1545	545 x 623 x 1545	545 x 623 x 1285	545 x 623 x 1640
Compressor		Inverter	Inverter	Non-Inverter	Inverter
Refrigerator Features		• Ag+ Bio Deodorizer • Cool Air Wrap	• Ag+ Bio Deodorizer • Cool Air Wrap	• Ag+ Bio Deodorizer	• Ag+ Bio Deodorizer
Ice Maker		Ice Tray	Twist	Ice Tray	Twist
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12	*12	*12




Series		Medium Size 2 Doors Series		
Model Name		GR-A35MBZ	GR-A39MBZ	GR-A43MBZ
				
Door Color		• Dark Silver (DS)	• Dark Silver (DS)	• Refined Silver (RS)
Door Type		Steel	Steel	Steel
5 Star EE Rating		5* (New Standard 2016)	5* (New Standard 2016)	5* (New Standard 2016)
Energy Consumption (kWh)		355	360	360
Capacity (Litre)	Gross Total	350	390	430
	Net Total	305	330	357
Product Dimensions (W x D x H)mm		600 x 717 x 1620	600 x 717 x 1715	680 x 717 x 1610
Compressor		Inverter	Inverter	Inverter
Refrigerator Features		• Hybrid Bio Deodorizer • Dual Cooling Zone • Cool Air Wrap	• Hybrid Bio Deodorizer • Dual Cooling Zone • Cool Air Wrap	• Hybrid Bio Deodorizer • Dual Cooling Zone • Cool Air Wrap • Eco & Quick Freezing
Ice Maker		Ice Tray	Ice Tray	Twist
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12	*12




PRODUCT SPECIFICATIONS

Series		Medium Size 2 Doors Series		
Model Name		GR-AG43MDZ	GR-A48MBZ	GR-AG48MDZ
				
Door Color		• Black (XK)	• Refined Silver (RS)	• Glass Black (XK)
Door Type		Glass	Steel	Glass
5 Star EE Rating		5* (New Standard 2016)	5* (New Standard 2016)	5* (New Standard 2016)
Energy Consumption (kWh)		360	376	376
Capacity (Litre)	Gross Total	430	480	480
	Net Total	357	407	407
Product Dimensions (W x D x H)mm		680 x 717 x 1610	680 x 717 x 1770	680 x 717 x 1770
Compressor		Inverter	Inverter	Inverter
Refrigerator Features		<ul style="list-style-type: none"> • LED Hybrid Deodorizer • Dual Cooling Zone • Eco & Quick Freezing 	<ul style="list-style-type: none"> • Hybrid Bio Deodorizer • Dual Cooling Zone • Cool Air Wrap • Eco & Quick Freezing 	<ul style="list-style-type: none"> • LED Hybrid Deodorizer • Dual Cooling Zone • Eco & Quick Freezing
Ice Maker		Twist	Twist	Twist
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12	*12

Series		Big Size 2 Doors Series		
Model Name		GR-H52MBZ	GR-HG52MDZ	GR-HG55MDZ
				
Door Color		• Reddish Gold (N)	• Glass Black (XK)	• Gradient Glass (GG) • Glass Black (XK)
Door Type		Steel	Glass	Glass
5 Star EE Rating		5*	5*	5*
Energy Consumption (kWh)		391	391	420
Capacity (Litre)	Gross Total	520	520	550
	Net Total	468	468	505
Product Dimensions (W x D x H)mm		760 x 739 x 1748	760 x 739 x 1748	760 x 739 x 1848
Compressor		Inverter	Inverter	Inverter
Refrigerator Features		<ul style="list-style-type: none"> • Hybrid Bio Deodorizer • Crisper Moisture Control • Dual Cooling Zone • Eco & Quick Freezing 	<ul style="list-style-type: none"> • LED Hybrid Deodorizer • Crisper Moisture Control • Dual Cooling Zone • Big Vegetable Compartment • Eco & Quick Freezing 	<ul style="list-style-type: none"> • LED Hybrid Deodorizer • Crisper Moisture Control • Dual Cooling Zone • Big Vegetable Compartment • Eco & Quick Freezing
Ice Maker		Twist	Twist	Twist
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12	*12

PRODUCT SPECIFICATIONS

Series		Premium 2 Doors Series		
Model Name		GR-AG58MA	GR-A66M	GR-AG66MA
				
Door Color		<ul style="list-style-type: none"> • Gradient Blue (GG) • Black (XK) 	<ul style="list-style-type: none"> • Silver (S) 	<ul style="list-style-type: none"> • Gradient Blue (GG) • Black (XK) • Brown (PGB)
Door Type		Glass	Steel	Glass
5 Star EE Rating		5* (New Standard 2016)	5* (New Standard 2016)	5* (New Standard 2016)
Energy Consumption (kWh)		392	400	395
Capacity (Litre)	Gross Total	610	661	661
	Net Total	555	611	608
Product Dimensions (W x D x H)mm		803 x 739 x 1725	805 x 739 x 1848	804 x 739 x 1848
Compressor		Inverter	Inverter	Inverter
Refrigerator Features		<ul style="list-style-type: none"> • Refrigerator room : LED HYBRID deodorizer • Freezer room : Ag+ BIO deodorizer • High COP (Coefficient of Performance) & Energy Saving • ULTRA FRESH (Speedy Cool/ Anti Bacteria/ Minus Cool (-3°C)) 	<ul style="list-style-type: none"> • Refrigerator/Freeze room : Ag+ BIO deodorizer • ULTRA FRESH (Speedy Cool/ Anti Bacteria/ Minus Cool (-3°C)) 	<ul style="list-style-type: none"> • Refrigerator room : LED HYBRID deodorizer • Freezer room : Ag+ BIO deodorizer • High COP (Coefficient of Performance) & Energy Saving • ULTRA FRESH (Speedy Cool/ Anti Bacteria/ Minus Cool (-3°C))
Ice Maker		Auto Ice Maker	Twist	Auto Ice Maker
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12	*12

Series		Multi Doors Series		
Model Name		GR-RF532WE-PGY	GR-RF610WE-PMY(37)	GR-RF646WE-PGY(24)
				
Door Color		• Black Glass	• Satin Grey	• Blue Glass
Door Type		Glass	Steel	Glass
5 Star EE Rating		-	-	-
Energy Consumption (kWh)		-	-	-
Capacity (Litre)	Gross Total	582	556	648
	Net Total	500	511	622
Product Dimensions (W x D x H)mm		803 x 739 x 1725	833 x 648 x 1898	905 x 775 x 1935
Compressor		Inverter	Inverter	Inverter
Refrigerator Features		<ul style="list-style-type: none"> • 1+3 MODE for different lifestyle • Dual COOLING / 3 CYCLE independent cooling system • Dual INVERTER with energy saving • DUAL RADAR SENSORS • PLASMA PURE sterilization technology • AlloyCooling back • Humidity Control Crisper • Temperature adjustable chiller (-2 °C - 3 °C) • LED Light is coming on gradually/Utility Box • Heating dissipation bottom/ Open door alarm • Drawer metal slideway (bearing 55kg) • Safety glass shelf (bearing 150kg)/Work noise free 39dB 	<ul style="list-style-type: none"> • Dual Cooling • Origin INVERTER • Pure BIO • Moisture & Flexible Zone • Dual Radar Sensors • Alloy Cooling • Multi-air Flow • Free Position • Smart Control with Digital Panel • Satin Grey Door • Easy Slide Tray • Slide Crisper 	<ul style="list-style-type: none"> • 3 SYSTEMTM independent cooling system • Dual INVERTER with energy saving • PLASMA PURE sterilization technology • AlloyCooling back • 26 compartments • Convert freezer to fridge, adding another 91 L of space • Large Curved Surface LED Light • Four crispers of temperature and humidity control automatically • Smart control with digital panel • Dark Blue Glass Door
Ice Maker		Moveable Ice Box	Moveable Ice Box	Moveable Ice Box
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12	*12

PRODUCT SPECIFICATIONS

Series		Side-By-Side Series	
Model Name		GR-RS682WE-PMY(06)	GR-RS637WE-PMY(06)
Door Color		Morandi grey	Morandi grey
Door Type		Steel	Steel
5 Star EE Rating		-	-
Energy Consumption (kWh)		-	-
Capacity (Litre)	Gross Total	591	573
	Net Total	513	493
Product Dimensions (W x D x H)mm		895 x 745 x 1788	833 x 648 x 1898
Compressor		Inverter	Inverter
Refrigerator Features		<ul style="list-style-type: none"> • Origin inverter • Quick cooling air • Multi air flow • Pure BIO • Dual radar sensor • Alloy cooling • Moisture & flexible zone • Eco LED light • Smart control with digital panel • Water dispenser 	<ul style="list-style-type: none"> • Origin inverter • Quick cooling air • Multi air flow • Pure BIO • Dual radar sensor • Alloy cooling • Moisture & flexible zone • Eco LED light • Smart control with digital panel • 3 in 1 auto ice maker • Water dispenser
Ice Maker		Twist	Auto
General warranty 1 year, *Compressor (Upon Online Registration)		*12	*12

Series		Chest Freezer			
Model Name		CR-A142M	CR-A198M	CR-A249M	CR-A295M
Door Color		White	White	White	White
Door Type		-	-	-	-
5 Star EE Rating		-	-	-	-
Energy Consumption (kWh)		-	-	-	-
Capacity (Litre)	Gross Total	185	258	320	380
	Net Total	142	198	249	295
Product Dimensions (W x D x H)mm		730 x 523x 850	945 x 523 x 850	980 x 600 x 850	1115 x 670 x 850
Compressor					
Refrigerator Features		<ul style="list-style-type: none"> • Freezing and cooling 10 °C--25°C • :D freezing tube • Counter-balanced hinge • Quiet & slim hinge • Removable storage basket • Hidden handle • LED light 	<ul style="list-style-type: none"> • Freezing and cooling 10 °C--25°C • :D freezing tube • Counter-balanced hinge • Quiet & slim hinge • Removable storage basket • Hidden handle • LED light 	<ul style="list-style-type: none"> • Freezing and cooling 10 °C--25°C • :D freezing tube • Counter-balanced hinge • Quiet & slim hinge • Removable storage basket • Hidden handle • LED light 	<ul style="list-style-type: none"> • Freezing and cooling 10 °C--25°C • :D freezing tube • Counter-balanced hinge • Quiet & slim hinge • Removable storage basket • Hidden handle • LED light
General warranty 1 year, *Compressor (Upon Online Registration)					

TOSHIBA

HEAT PUMP
GERMAN-STYLE DESIGN
THE PERFECT INNOVATIVE WASHER



**FULL DC FREQUENCY
CONVERSION ASDD MOTOR**

The sophisticated configuration creates outstanding quality with greater stability, greater safety and greater performance.

**LAUNDRY HELPER
FOR YOUR HOME**

ULTIMATE EXPERIENCE - HEAT PUMP WASHER DRYER



Innovation technology and expertly crafted heat pump washer dryer offers you soft drying and luxury washing experience.



SUPER LARGE GLASS TOUCH PANEL

Displays the washing progress clearly



TILTED SURFACE

Make it easy to operate



THE 1,064-mm INTEGRATED BODY

Re-defines high-tech

FULL DC FREQUENCY CONVERSION ASDD MOTOR

TOSHIBA ASDD motor as third generation of DD motor rare earth permanent magnet and upgraded structure. Whereas conventional DD motor uses ferrite magnet. The magnet force is stronger by 3 times which leads to better washing performance. Meanwhile, efficiency is higher. Stability is greater. Lifetime is longer.

01 Rare earth permanent magnet


It is three times more magnetic than ferrite, with greater stability and wear resistance.

02 Small but high powered

Though small, the high-powered machine can wash clothes weighing up to 14kg, generating less noise and consuming less energy.

03 Enameled wire with a drum core

The wire features better electrical conductivity and longer life, with its cost 2.5 times higher than an aluminium core.



The rare earth permanent magnet boasts high performance

The exquisite workmanship breaks through all limitations


The iron rotor core features higher precision

The genuine materials help reduce noise

Excellent heat dissipation brings greater safety

MRF ELECTROMAGNETIC SHOCK ABSORBER

Based on different washing scenarios, it can adjust the buffering index on the electromagnetic shock absorber to reduce transverse impact. With less vibration and noise, you can wash clothes at any time.



1/ It reduces the time spent in balancing the machine, thus bringing the washing process down to 33 minutes.

2/ It ensures steady dehydration, whether it is for a single piece or multiple pieces of clothing.


3/ It prevents the machine from shaking while dehydrating, and endures proper washing of the clothes.

INNOVATIVE TECHNOLOGIES

HEAT PUMP DRYING TECH

Heat pump drying tech maintains the drying temperature below 50°C and offer soft protection for luxury fiber fabrics. Besides, low drying temperature and precise temperature control improve energy efficiency and reduce power consumption by nearly 50%.

Heat Pump Drying Offers Soft Protection



Condensation drying transfers hot air in one direction at a temperature over 70°C, which gives the clothes a coarse texture; however, heat pump drying controls the temperature in two directions to maintain it below 50°C and offer soft protection for high-grade fiber fabrics.

The Large Capacity And Air Flow Make Clothes Feel Fluffier



The large capacity spreads the clothes, and the strong air flow flattens wrinkles and prevents entanglement. Clothes are left soft and fluffy and can be worn immediately after drying.


Heat Pump Drying Is Fast And Highly Efficient



It reduces the washing-drying process to 60 minutes; it only takes 108 minutes to dry 7 kg of clothes, allowing you more leisure time.

NANO-SILVER IONS REMOVE BACTERIA AND PROTECT CLOTHING FIBERS

The lifting ribs contain nano-silver ions imported from Japan, which are automatically released when exposed to water and effectively remove bacteria. Bacteria removal rate is 99.99%. It's the most effective sterilization method. No water heating and no smell. It's safe and convenient. Duration of bacterial inhibition is 48 hours. It will be your health guardian for a long time.



ULTRA-MICRO BUBBLES OFFER PROTECTION FOR CLOTHING AND HUMAN HEALTH

The ultra-micro bubble generator produces hundreds of millions of micro and nano-bubbles that penetrate clothing fibers and clean them physically, cutting the use of detergent in half and removing stains fast and efficiently.



THREE WASHING MODES SATISFY ALL YOUR NEEDS

The full DC magnetic conversion ASDD motor features three washing modes with powerful cleaning capacity to meet various laundry needs.



Washing By Powerful Beating

The drum rotates and pauses at a high speed, generating strong beating forces and enhancing the washing effect.



Dynamic Centrifugal Washing

The clothes rotate up against the drum wall at a high speed, "massaging" them thoroughly clean.



Washing By Squeezing And Rubbing

The X-type double spray with an ultra-high water pressure rubs the clothes and gives them a thorough clean.

ELEGANT LIVING

THE CLASSIC GERMAN-STYLE DESIGN SHOWS GREAT ATTENTION TO DETAIL

Hidden Panel
Detergent & softener are kept here to experience luxury.

Big Mouth and Large Capacity
The 7°-tilt drum stands out proudly, while the 540-mm diameter make it easier to load/unload clothes.

Window Design
The tilt makes the inner drum easier to test, saves water and frees you.

Bach Silver VCM Color Steel Plate
The body is made of PCM, is damp proof and wear resistant, re-defining high-tech.

LED Drum Light Design
You no longer need to fear the dark with real-time monitoring.

Pursuit of craftsmanship and excellent quality
The diamond door ring inherits the traditional design, while the 10 processes show ultimate workmanship.

10 YEAR WARRANTY

WOOLMARK

INTELLIGENT WASHING NET FORCE U+

Magic Spatula-shaped Lifting Ribs



Generate more powerful rubbing and lifting forces than human hands.

Warm Water Washing



Water temperatures set at 30°C for better care of the fabric.

X-type Double Spray



Dissolve detergent completely and penetrate the clothes to give them a deep and thorough clean.


Intelligent Balance System



Effectively keeps the balance of the machine and ensures stability and silence.

Series	HEAT PUMP WASHER DRYER		
Model Name	TWD-DUJ130X4M		
Wash / Dry Capacity (kg)	12/7	Drying Mode	Heat Pump
Colour	Bach Silver	Wash & Dry (min)	60
Display	LED	Door Gasket	Anti-bacteria
Rated Power Supply (V)	220-240	MRF	Yes
RPM	600-800-1000-1200-1400	Ultra Fine Bubble	Yes
Motor	ASDD	Lifter (Ag+)	Yes
No Of Programs	12	SENSEDRY™	Yes
Door Diameter (mm)	519	Drum Light	Yes
Weight (kg)	98	Drum Clean	Yes
Dimension (W x D x H) (mm)	600 x 750 x 1065	Dual Spray	Yes

MORE SAVING, MORE CONVENIENT



THE GREAT WAVES™ is an innovative technology inspired and aptly named after the Japanese famous painting "The Great Wave off Kanagawa".

THE GREAT WAVES™ technology combines Flush Wave and Cold Wash to offer energy saving and colour protection for your laundry.



Paddle



Smooth Inner Drum

FLUSH WAVE

As good as hand wash



Featuring a big cambered, wing-type paddle and a smooth inner drum, THE GREAT WAVES™ technology generates Flush Wave, making fabrics rub and scrub against each other to get the same effect as hand wash.


Greater than normal flow



Unlike the normal flow, GREAT WAVES™ technology can adjust rotation speed intelligently, which will generate different types of water flow Flush Wave, penetrating fabric to break and remove stubborn stains.

COLD WASH

Energy saving



Comparison of Electricity Consumption (kWh)


THE GREAT WAVES™ technology activates Cold Wash function to save up to 70% energy based on the same cleaning effect of washing at 40°, according to lab experiments.

Colour protection



Discolouration Reduced by 39%

ColorAlive program is developed based on Cold Wash function to achieve remarkable colour protection. Tests by Household Electricity Appliance Research Institute show that ColorAlive can reduce discoloration by 39%.



SENSEDRY™

SENSEDRY™ tech automatically stops drying process when clothes reach optimum dryness. It saves you valuable time as you need not check during the drying process. It also protect your clothes and no more worry of over drying.



REAL INVERTER

Compared to conventional motor, Real Inverter motor is quieter by 11.4% noise down, more efficient and durable.

ONE LOAD TO GO

WASH AND DRY IN ONE LOAD*1

Same capacity of washer dryer, full load to washer dryer in one go without reload.



8KG Clothes to be washed in SameLoads™



8KG Dry Clean Clothes Out

45' TO WEAR*1



Time revolution in washer dryer. Program especially for small load is finished within 45 minutes, cleaning and drying at ultra speed.



EFFECTIVENESS OF WASHING MACHINE



* Washing time, drying time and washing & drying time all depend on the average/ shortest program time of products available on the market.

* All tests are based on the same texture and loads.

SenseDose

With an integrated intelligent sensor, SenseDose technology can dispense detergent based on laundry weight with accuracy up to ±1ml.



LED Drum Light

LED drum light illuminates the inner drum for better visibility so that no laundry is left inside after wash.



360° Spray

360° Spray from all angles accelerates the dissolution of detergent in water and cleans foam residue on door seal and glass.



TWD-BH90W4M
8 KG WASH / 8 KG DRY



55° Panel Ergo Design

Based on ergonomics and multiple laboratory experiments, 55° is the most suitable angle of visual field where you do not need to bend forward to operate the control panel.



SenseSlide

Waterproof slide bar for smooth and easy program selection even with a wet finger.



550mm Mega Door

Larger than normal washer doors, it helps you load and retrieve laundry with less effort.



*1 Special Design for TWD - BH90W4M

WASHER DRYER

SameLoads™



TWD-BH90W4M

8 KG WASH/ 8 KG DRY

- The GREATWAVES™
- Real INVERTER™
- SENSEDRY™
- SenseSlide
- SenseDose™
- 45 mins Wash & Dry
- Reload
- Prewash
- 360° Spray
- Ergonomic Design
- Anti-bacteria Gasket
- LED Drum Light
- Drum Clean
- Child Lock



TWD-BJ120M4M

11 KG WASH/ 7 KG DRY

- The GREATWAVES™
- Real INVERTER™
- SENSEDRY™
- CycloneMix™
- 12 mins Quick Wash
- 59 mins Wash & Dry
- Reload
- Prewash
- Anti-bacteria Gasket
- LED Drum Light
- Drum Clean
- Child Lock



TWD-BK90S2M

8 KG WASH/ 5 KG DRY

- The GREATWAVES™
- Real INVERTER™
- SENSEDRY™
- 15 Mins Quick Wash
- 1 Hour Quick Wash & Dry
- Drum Clean
- Child Lock



CycloneMix™*



Water flows through CycloneMix™ dispenser to drive the impeller and dissolves detergent faster by 20%.

12 MINUTES QUICK WASH TO SAVE TIME*




Quick wash help you to save the laundry time when you have laundry emergency and need clean clothes in a hurry.

ANTI-BACTERIAL GASKET*



The Antibacterial Gasket can efficiently inhibit bacterial growth to help ensure your clothes are clean and hygienic after every wash.

DRUM CLEAN*



Sterilize and deodorize. outer drum surface after cycles of daily wash to maintain hygiene. WASH AND CLEAN THE WASHER

High temperature and flush flow effectively clean the inner and outer drums, keeping the drums away from a secondary pollution.


* Selected Models

ADVANCE WASHING TECHNOLOGY

ULTRA FINE BUBBLE*



Nano-sized bubbles penetrate into fabric fibers to remove the deepest stains, bacteria and residues, thus to achieve the best deep cleaning.



BENEFITS OF ULTRA FINE BUBBLE



As sebum dirt is not soluble in water it is more likely left in fiber gaps resulting in yellowing stains for a long time.



Sebum dirt is soluble in detergent. UFB carrying detergent penetrate fiber gaps, dissolve and remove as much as 6% sebum dirt away.



UFB dissolve and remove stains. Thus prevent yellowing and make fabric fresh and long-lasting.

ORIGIN INVERTER*



Quiet
Inverter motor works 10% quieter than universal motor.




Durable
10 Years stable warranty.



Efficient
Compared with universal motor, inverter motor reaches more than 67% power saving.

STEAM™*1



Average sterilizing bacterial rate (%)	
> 99.99	

The steam function is activated to have the inner drum temperature raised and the water flows penetrate deep into fabric fibers. The main advantage of steam scalding is 99.99% sterilizing* and fabric deodorizing.

* Selected Models *1 Tested by Vkan Certification & Testing Co., Ltd.

FRONT LOAD WASHER



TW-BK95G4M 8.5 KG
TW-BK105G4M 9.5 KG
TW-BK115G4M 10.5 KG

- THE GREATWAVES™
- Origin Inverter
- CycloneMix™
- Ultra Fine Bubble
- 12' mins Quick Wash
- Reload
- Prewash
- Anti-allergy
- Steam
- Anti-bacterial Gasket
- LED Drum Light
- Drum Clean



TW-BH115W4M 10.5 KG

- THE GREATWAVES™
- Real INVERTER™
- SenseDose™
- Sense Slide
- 10' Super Fast
- Reload
- Prewash
- Anti-allergy
- Ergo Design
- Anti-bacteria Gasket
- LED Drum Light
- Drum Clean



TW-BH95M4M 8.5 KG
TW-BH105M4M 9.5 KG

- THE GREATWAVES™
- Real INVERTER™
- CycloneMix™
- 12 mins Quick Wash
- Reload
- Prewash
- Anti-allergy
- LED Drum Light
- Anti-bacteria Gasket
- Drum Clean



TW-BH85S2M 7.5 KG
TW-BH95S2M* 8.5 KG
TW-BK105S2M 9.5 KG

- THE GREATWAVES™
- Real INVERTER™
- 15 mins Quick Wash
- Drum Clean
- Child Lock



DRYING CONVENIENCE

SENSEDRY™




SENSEDRY™ is a composite resistor that can sense the humidity of clothes with precision to control the drying process. Thus, **SENSEDRY™** technology can stop drying when the clothes have achieved optimum drying. It is a convenient feature that saves you the hassle of constant checking and protects your clothes from overheating.



SENSEDRY™ tech makes sure clothes reach optimum dryness. It also protect your clothes and remove fear of over drying.



The humidity sensor, which is the core component to activate **SENSEDRY™**



Anti-crease
Designed for tumble dryers, the Anti-crease function keeps clothes from wrinkling after drying.



20-min Quick Drying
Fast drying program designed especially for small loads to finish within 20 minutes.

YOUR PERFECT LAUNDRY HELPER TO ELEVATE YOUR LIFESTYLE

THE **GREAT WAVES™**

SENSEDRY™







TW-BH85S2M / TW-BH95S2M /
TW-BK105S2M






TD-H80SEM 7 KG

- Anti-crease
- SENSEDRY™
- 20 mins Quick Drying
- LED Digital Control Panel



PRODUCT SPECIFICATIONS

Series	Front Load Washer			
Model	TW-BK95G4M	TW-BK105G4M	TW-BK115G4M	TW-BH115W4M
				
Capacity (kg)	8.5	9.5	10.5	10.5
Colour	Grey	Grey	Grey	Grey
Control Panel	LED Digital	LED Digital	LED Digital	LED Digital
Rated Power Supply (V)	220-240	220-240	220-240	220-240
Motor	Origin Inverter	Origin Inverter	Origin Inverter	Real Inverter
No Of Programs	12	12	12	16
THE GREATWAVES	Yes	Yes	Yes	Yes
RPM	600-800-1000-1200-1400	600-800-1000-1200-1400	600-800-1000-1200-1400	600-800-1000-1200-1400
Special Features				
SENSEDRY™	-	-	-	-
Ultra Fine Bubble	Yes	Yes	Yes	-
Quick Wash (min)	12	12	12	10
Door Gasket	Anti-bacteria	Anti-bacteria	Anti-bacteria	Anti-bacteria
Drum Light	Yes	Yes	Yes	Yes
Detergent Box	CycloneMix™	CycloneMix™	CycloneMix™	SenseDose™
Reload	Yes	Yes	Yes	Yes
Prewash	Yes	Yes	Yes	Yes
Anti-allergy	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes
Weight (kg)	68	71	72	77
Door Diameter (mm)	510	510	510	550
Dimension (W x D x H) (mm)	595 x 615 x 850	595 x 615 x 850	595 x 615 x 850	595 x 640 x 850

Series	Front Load Washer				
Model	TW-BH95M4M	TW-BH105M4M	TW-BH85S2M	TW-BH95S2M	TW-BK105S2M
					
Capacity (kg)	8.5	9.5	7.5	8.5	9.5
Colour	White	White	White	White	White
Display	LED Digital	LED Digital	LED Digital	LED Digital	LED Digital
Rated Power Supply (V)	220-240	220-240	220-240	220-240	220-240
Motor	Real Inverter	Real Inverter	Real Inverter	Real Inverter	Real Inverter
No Of Programs	12	12	16	16	16
RPM	600-800-1000-1200-1400	600-800-1000-1200-1400	600-800-1000-1200	600-800-1000-1200	600-800-1000-1200
Special Features					
THE GREATWAVES	Yes	Yes	Yes	Yes	Yes
SENSEDRY™	-	-	-	-	-
Ultra Fine Bubble	-	-	-	-	-
Quick Wash (min)	12	12	15	15	15
Detergent Box	CycloneMix™	CycloneMix™	Normal	Normal	Normal
Reload	Yes	Yes	-	-	-
Prewash	Yes	Yes	-	-	-
Anti-allergy	Yes	Yes	-	-	-
Door Gasket	Anti-bacteria	Anti-bacteria	Normal	Normal	Normal
Drum Light	Yes	Yes	-	-	-
Drum Clean	Yes	Yes	Yes	Yes	Yes
Child Lock	Yes	Yes	Yes	Yes	Yes
Weight (kg)	68	71	61	65	71
Door Diameter (mm)	490	490	480	480	480
Dimension (W x D x H) (mm)	595 x 615 x 850	595 x 615 x 850	595 x 530 x 850	595 x 600 x 850	595 x 600 x 850

PRODUCT SPECIFICATIONS

Series	Washer Dryer			Dryer
Model	TWD-BH90W4M	TWD-BJ120M4M	TWD-BK90S2M	TD-H80SEM
	SameLoads™			
				
Wash / Dry Capacity (kg)	8/8	11/7	8/5	7 (Dry)
Colour	Grey	White	White	White
Display	LED Digital	LED Digital	LED Digital	LED Digital
Rated Power Supply (V)	220-240	220-240	220-240	220-240
Motor	Real Inverter	Real Inverter	Real Inverter	-
No Of Programs	18	12	16	16
RPM	600-800-1000-1200-1400	600-800-1000-1200-1400	600-800-1000-1200	-
Special Features				
THE GREATWAVES	Yes	Yes	Yes	-
SENSEDRY™	Yes	Yes	Yes	Yes
Ultra Fine Bubble	-	-	-	-
Quick Wash (min)	10	12	15	-
Wash & Dry (min)	45	59	60	20(Dry)
Drum Light	Yes	Yes	-	-
Drum Clean	Yes	Yes	Yes	-
Detergent Box	SenseDose™	CycloneMix™	Normal	-
Reload	Yes	Yes	-	-
Prewash	Yes	Yes	-	-
Anti-allergy	Yes	Yes	-	-
Child Lock	Yes	Yes	Yes	Yes
Door Gasket	Anti-bacteria	Anti-bacteria	Normal	-
Weight (kg)	75	71	71	33
Door Diameter (mm)	550	490	480	-
Dimension (W x D x H) (mm)	595 x 640 x 850	595 x 615 x 850	595 x 600 x 850	595 x 555 x 840

FRONT LOADING FEATURES



DRYER FEATURES



■ Allergy UK

Allergy UK certification ensures 4 allergens, i.e. house dust mite allergen, cat allergen, dog allergen and pollen allergen, are reduced to less than 99.9% after a wash cycle.



■ Woolmark

Woolmark certification ensures low fabric shrinkage, high cleaning efficiency and accurate water temperature control during the whole washing process.



■ VDE

VDE is an independent and neutral institute that tests electronic devices, components and systems. VDE certification ensures high efficiency and low energy consumption.

SUPERIOR CLEANING PERFORMANCE

ULTRA FINE BUBBLE*



Ultra Fine Bubble (UFB) generates invisible Nano-sized particle bubbles that are 10-200 times smaller than fiber gaps. They effectively deliver detergent deep inside fiber gaps, reaching stains and removing them.



DUO-ACTIVE ROLLER*



Removable
Easy to Clean

Duo-Active Roller technology enhances clothes movement with gentleness to prevent tangles and increase washing performance.

MEGA POWER WASH*

Combined Power for Super Clean Clothes

High Washing Performance with Dynamic Water Flow.



Star Crystal
Drum

Cleaner yet gentler
wash with "washboard"
kneading wash effect.

Mega Power
Pulsator

Firmer grip on
clothes to move
in 3-Dimensional
direction during
wash.

Hydro
Twin Power

Deeper detergent
penetration into
the fibers of the
fabric to wash out
stubborn stains &
dirt.

*Selected Models

MORE QUIET, MORE SAVING



Inspired by Japanese famous painting 'The Great Wave off Kanagawa', the innovative technology is named 'THE GREAT WAVES™'. The technology greatly enhances performance in cleaning, saving and protecting laundry.

3 WATERFALLS COMBINED WITH WATER FLOWS FROM 864 WATER HOLES

up to **6.4%** Washing Performance | up to **21.4%** Time Saving

3 Waterfalls **864 Holes**



WATER FLOW IN THREE TYPES

Flow Space 1
No Wrap Flow
Two dual direction flow further scatter the laundry to avoid wrap and tangle.

Flow Space 2
Upper Push Flow
Generates a strong upper push flow that enhances contact surface of the fabric in the tub.

Flow Space 3
Spring Flow
Spring flow generated by the impeller to avoid excessive wear of the laundry.



DISPLAY TIME & ACTUAL OPERATION TIME Test Data of AW-J800AM*¹

Program	Display Time (min)* ¹		Display Time Saving (%)	Actual Operation Time (min)* ¹ Average Operation Time of 20 Trials		Actual Time Saving (%)
	Standard Mode	GREATWAVES Mode		Standard Mode	GREATWAVES Mode	
Regular	52	41	21.2%	54	42	22.2%
Jeans	54	42	22.2%	56	43	23.2%
Blanket	88	63	28.4%	89	65	26.9%
Heavy Wash	74	52	29.7%	77	53	31.1%

QUIET OPERATION & HIGH PERFORMANCE WASHING



Super-Direct Drive (S-DD) Inverter Motor Technology which is gear/ belt free takes your washing to a whole new realm of high performance washing with unrivalled noise reduction. With more powerful turns and reduced vibration during spinning, your washing operates practically on whisper mode with clothes that come out clean and tangle-free.



SUPER SILENT DRIVE

WASHING*¹
26dB
SPINNING*¹
37dB

Noise Comparison



*Selected Models

*1Tested by Toshiba

OTHER OUTSTANDING FEATURES*



POWER WASH

The innovative technology of the Power Pulsator efficiently accelerates powerful water circulation. Clothes are stirred effectively and dirt in deep fibers can be cleaned thoroughly with less damage.



CONDENSED BUBBLE WASH

Detergent is more concentrated at low water levels. Laundry will thus be more thoroughly cleansed.



POWER PULSATOR

Double amount of water circulates in the drum! Can improve washing performance.




DRUM ILLUMINATION

LED equipped in drum lights up when UFB is generated. It also works when glass lid is open for convenience in dark places.



FRAGRANCE COURSE

Softener dispenser releases the fabric softener automatically. A stronger fragrance effect is achieved on your laundry thanks to the longer soaking time.



SAFETY GLASS LID DESIGN

A modern design with glossy safety glass and handle-less lid. Offered in classic steel or black color. Gentle closing lid, ensure safe operation.



RESUME FUNCTION

Resumes the washing process from the point of interruption in the event of a power failure.



HYGIENE TUB CLEAN COURSE / I CLEAN

The washing tub can be easily cleaned with one touch. Stains and detergent residue are effectively removed for a clean wash. Using 'THE GREATWAVES™' course, the self clean (I CLEAN) is automatically done each time once you do the laundry.



3D SIX BLADES

1,170 holes on Power Pulsator allow more water into the water channel, this efficient water circulation effectively removes dirt and stains.



CIRCULAR AIR INTAKE

More air flows into the tub from circular air inlets to increase drying efficiency. This also prevents shrinkage of clothing and saves energy.



PRE-SET HOURS

Select your preferred washing end time from 2 hours late to 24 hours later, easy & convenient.



ONE TOUCH BUTTON

One Touch Button system displayed on a newly designed panel makes laundry quick and easy with convenient washing options.

TOP LOAD WASHER



AW-DUG1500WM (KK) 14 KG**
AW-DUG1600WM (SK) 15 KG**
AW-DUG1700WM (SS)* 16 KG**

- Ultra Fine Bubble
- SDD Inverter
- Duo-Active Roller
- Drum Illumination
- Mega Power Wash
 - Star Crystal Drum
 - Mega Power Pulsator
 - Hydro Twin Power
- One Touch Button
- Resume Function



** Only for AW-DUG1500WM (KK) & AW-DUG1600WM (SK)
 *** Only for AW-DUG1700WM (SS)



AW-DG1500WM (KK) 14 KG**
AW-DG1600WM (SK) 15 KG**
AW-DG1700WM (SS)* 16 KG**

- Duo-Active Roller
- SDD Inverter
- Mega Power Wash
 - Star Crystal Drum
 - Mega Power Pulsator
 - Hydro Twin Power
- One Touch Button
- Resume Function



** Only for AW-DG1500WM (KK) & AW-DG1600WM (SK)
 *** Only for AW-DG1700WM (SS)



AW DC1300WM (W) 12 KG

- Circular Air Intake
- SDD Inverter
- Mega Power Wash
 - Star Crystal Drum
 - Mega Power Pulsator
 - Hydro Twin Power
- Zero Standby Power
- Fragrance Course
- Condensed Bubble Wash
- Resume Function



AW H1100GM (SM) 10 KG

- Circular Air Intake
- Star Crystal Drum
- Powerful Hybrid Pulsator
- Hydro Twin Power
- Zero Standby Power
- Fragrance Course
- Resume Function



AW H1000GM (SB) 9 KG

- Circular Air Intake
- Star Crystal Drum
- Powerful Hybrid Pulsator
- Hydro Twin Power
- Zero Standby Power
- Fragrance Course
- Resume Function



AW-J800AM(SG) 7 KG

AW-J900DM(SG) 8 KG

AW-J1000FM(SG) 9KG

- THE GREATWAVES™
- No Angular Design
- I - Clean
- Soft Close Lid
- Easy Kit
- 3-Type Water Flow



AW E900LM (WB) 8 KG

- Circular Air Intake
- Mega Power Wash
 - Star Crystal Drum
 - Mega Power Pulsator
 - Hydro Twin Power
- Zero Standby Power
- Condensed Bubble Wash
- Resume Function










AW F820SM (WB) 7.2 KG

- Circular Air Intake
- Star Crystal Drum
- Hydro Power Wash
- Powerful Hybrid Pulsator
- Zero Standby Power
- Condensed Bubble Wash
- Resume Function








PRODUCT SPECIFICATIONS

Series	Inverter			
	Model	AW-DUG1500WM(KK)	AW-DUG1600WM(SK)	AW-DUG1700WM(SS)
				
Colour	Black	Silver	Silver	
Capacity (kg)	14	15	16	
Power Supply (V)	230 - 240	230 - 240	230-240	
Frequency (Hz)	50	50	50	
Motor	SDD	SDD	SDD	
Special Features				
THE GREAT WAVES	-	-	-	
Ultra Fine Bubble	Yes	Yes	Yes	
Drum Illumination	Yes	Yes	Yes	
Duo-Active Roller	Yes	Yes	Yes	
Circular Air Intake	-	-	-	
Condensed Bubble Wash	-	-	-	
Safety Function				
Resume Function	Yes	Yes	Yes	
Child Safety Lock	Yes	Yes	Yes	
Zero Standby Power	Yes	Yes	Yes	
Washing Courses				
Regular	Yes	Yes	Yes	
Blanket	Yes	Yes	Yes	
Heavy Wash	Yes	Yes	Yes	
Soak	Yes	Yes	Yes	
Speed	Yes	Yes	Yes	
Memory	-	-	-	
Delicate	Yes	Yes	Yes	
Fragrance	Yes	Yes	Yes	
Tub Clean	Yes	Yes	Yes	
Net Weight (kg)	53	53	53	
Net Dimensions (W X D X H) (mm)	685 X 710 X 1061	685 X 710 X 1061	685 X 710 X 1061	

Series	Inverter				
	Model	AW-DG1500WM (KK)	AW-DG1600WM (SK)	AW-DG1700WM (SS)	AW DC1300WM (W)
					
Colour	Black	Silver	Silver	White	
Capacity (kg)	14	15	16	12	
Power Supply (V)	230 - 240	230 - 240	230 - 240	230-240	
Frequency (Hz)	50	50	50	50	
Motor	SDD	SDD	SDD	SDD	
Special Features					
THE GREAT WAVES	-	-	-	-	
Ultra Fine Bubble	-	-	-	-	
Drum Illumination	-	-	-	-	
Duo-Active Roller	Yes	Yes	Yes	-	
Circular Air Intake	-	-	-	Yes	
Condensed Bubble Wash	-	-	-	Yes	
Safety Function					
Resume Function	Yes	Yes	Yes	Yes	
Child Safety Lock	Yes	Yes	Yes	Yes	
Zero Standby Power	Yes	Yes	Yes	Yes	
Washing Courses					
Regular	Yes	Yes	Yes	Yes	
Blanket	Yes	Yes	Yes	Yes	
Heavy Wash	Yes	Yes	Yes	Yes	
Soak	Yes	Yes	Yes	-	
Speed	Yes	Yes	Yes	Yes	
Memory	-	-	-	Yes	
Delicate	Yes	Yes	Yes	Yes	
Fragrance	Yes	Yes	Yes	Yes	
Tub Clean	Yes	Yes	Yes	Yes	
Net Weight (kg)	53	53	53	48	
Net Dimensions (W X D X H) (mm)	685 X 710 X 1061	685 X 710 X 1061	685 X 710 X 1061	690 X 700 X 1110	

PRODUCT SPECIFICATIONS

Series	Non Inverter		
Model	AW-J800AM(SG)	AW-J900DM(SG)	AW-J1000FM(SG)
			
Colour	Grey	Grey	Grey
Capacity (kg)	7	8	9
Power Supply (V)	220-240	220-240	220-240
Frequency (Hz)	50	50	50
Motor	Non-Inverter	Non-Inverter	Non-Inverter
Special Features			
THE GREAT WAVES	Yes	Yes	Yes
Ultra Fine Bubble	-	-	-
Drum Illumination	-	-	-
Duo-Active Roller	-	-	-
Circular Air Intake	-	-	-
Condensed Bubble Wash	-	-	-
Safety Function			
Resume Function	-	-	-
Zero Standby Power	-	-	-
Washing Courses			
Regular	Yes	Yes	Yes
Blanket	Yes	Yes	Yes
Heavy Wash	Yes	Yes	Yes
Soak	Yes	Yes	Yes
Speed	Yes	Yes	Yes
Memory	Yes	Yes	Yes
Delicate	Yes	Yes	Yes
Fragrance	-	-	-
I CLEAN	Yes	Yes	Yes
Net Weight (kg)	33	37	40
Net Dimensions (W X D X H) (mm)	550 X 565 X 915	550 X 565 X 930	550 X 565 X 968

Series	Non Inverter			
Model	AW H1000GM (SB)	AW H1100GM (SM)	AW E900LM (WB)	AW F820SM (WB)
				
Colour	Dark Silver	Dark Silver	Blue	Blue
Capacity (kg)	9	10	8	7.2
Power Supply (V)	230-240	230-240	230-240	230-240
Frequency (Hz)	50	50	50	50
Motor	Non-Inverter	Non-Inverter	Non-Inverter	Non-Inverter
Special Features				
THE GREAT WAVES	-	-	-	-
Ultra Fine Bubble	-	-	-	-
Drum Illumination	-	-	-	-
Duo-Active Roller	-	-	-	-
Circular Air Intake	Yes	Yes	Yes	Yes
Condensed Bubble Wash	Yes	Yes	Yes	Yes
Safety Function				
Resume Function	Yes	Yes	Yes	Yes
Child Safety Lock	Yes	Yes	Yes	Yes
Zero Standby Power	Yes	Yes	Yes	Yes
Washing Courses				
Regular	Yes	Yes	Yes	Yes
Blanket	Yes	Yes	-	-
Heavy Wash	Yes	Yes	Yes	-
Soak	-	-	Yes	Yes
Speed	Yes	Yes	Yes	Yes
Memory	-	-	-	-
Delicate	-	-	-	Yes
Fragrance	Yes	Yes	Yes	-
Tub Clean	Yes	Yes	Yes	Yes
Net Weight (kg)	39	39	31	27
Net Dimensions (W X D X H) (mm)	645 x 620 x 1031	645 x 620 x 1031	585 x 605 x 990	555 x 590 x 905

TWIN TUB WASHER

The most economic laundry options for both long duration and practical function.

TRANSPARENT LID

Transparent design door, convenient for users to check the laundry's status.

RUST-FREE BODY

The body is made of plastic. It is durable with no rust and it is hard to be dented.

CASSETTE LINT FILTER

Plastic cassette lint filter is more durable than conventional cloth lint filter. In addition, lint can be easily removed from filter manually.




GOLDENSOAK PERIOD

Soaking time can be selected according to the pollution level of fabrics, which allows to apply with other programs to enhance the washing effects.



CycloneSpin™

A high spin speed up to 1280rpm can effectively help to take water away from fabrics.



DOUBLE WATER INLETS FOR WASH & SPIN (Right & Left)





Using the inlet for water into spin tub, it is easy to activate the shower rinse to save water.



PROGRAM OPTIONS (Heavy & Normal)

Select a preset program for various types of clothes (Wash / Drain).

PRODUCT SPECIFICATIONS

Series	Twin Tub Washer			
	VH-H85MM	VH-H95MM	VH-J120MM	VH-J140MM
Model				
Wash Capacity (kg)	7.5	8.5	11.0	13.0
Spin Capacity (kg)	4.6	4.6	4.6	7.0
Soak Function	Yes	Yes	Yes	Yes
Qty Of Water Inlet	2	2	2	2
Layer Of Cabinet	1	2	2	2
Water Volume (L)	59/51/39	63/58/48/39	77/72/65/50	92/87/65/42
Lint Filter	Cassette Type	Cassette Type	Cassette Type	Cassette Type
Transparent Lid	Yes	Yes	Yes	Yes
Net Weight (kg)	19.0	21.0	24.5	29.5
Dimensions (W x D x H) (mm)	761 x 448 x 885	827 x 485 x 862	870 x 512 x 957	902 x 537 x 974

TOSHIBA



**STYLISH APPLIANCES
FOR YOUR HOME**

MICROWAVE OVEN WITH CONVECTION FUNCTION

HYGIENIC & SAFETY

CERAMIC ENAMEL CAVITY

Ceramic enamel cavity has superior 99.9%* anti-bacteria capability, ensuring a hygienic cooking environment. It is also scratch-resistant and anti-rust, and the glazed surface makes cleaning easier than ever.



SKID-PROOF FEET

Friction enhanced rubber feet ensure a stable and safer usage when opening or closing door of the microwave.



CRISPY GRILL

Enjoy tasty barbecue meals in a smoke-free environment. Open up a new option of home-cooking with only a touch on your microwave.

Experience the grilling with barbecue-styled flavor – crispy outside, juicy inside.



CONVECTION COOKING

The convection function provides remarkable results in baking and broiling, making a perfect chiffon cake will not be a challenging work anymore. Fan-assisted heat circulation gently wrap the food with hot air, for faster and more uniform cooking.




MW2 - AC26TF (BK)

- 26 Litres
- Microwave, Grill, Convection, Combination Cooking
- 10 Auto Menus
- 1050-1100W Grill Power
- 2100W Combi Cooking
- 315mm Bigger Turntable
- 5 Power Levels
- Child Safety Lock
- Weight & Time Defrost
- Slip-proof Oven Feet
- Position Memory



POSITION MEMORY TECHNOLOGY

With innovative position memory technology, the turntable will reset to its initial position every time your dish is ready, for safer fetching and burned-preventing.



INNOVATIVE COMBI COOKING

Prepare your culinary masterpiece with our innovative combi cooking – the perfect combination of microwave and oven, satisfying the picky tongues with impressive delicacies.



MICROWAVE OVEN SERIES

GRILL SERIES



ER-SGS20 (K) MY

- 20 Litres
- Microwave & Grill Cooking
- 9 Auto Menus
- 950-1000W Grill Power
- 800W Microwave
- 255mm Turntable
- 11 Power Levels
- Child Safety Lock
- Weight & Time Defrost
- Slip-proof Oven Feet



MW2-AG24PF (BK)

- 24 Litres
- Microwave & Grill Cooking
- 8 Auto Menus
- 1000-1050W Grill Power
- 900W Microwave
- 270mm Bigger Turntable
- 5 Power Levels
- Child Safety Lock
- Weight & Time Defrost
- Slip-proof Oven Feet



ER-SGS34 (K) MY

- 34 Litres
- Microwave & Grill Cooking
- 9 Auto Menus
- 1100W Grill Power
- 1000W Microwave
- 315mm Bigger Turntable
- 11 Power Levels
- Child Safety Lock
- Weight & Time Defrost
- Slip-proof Oven Feet



SOLO SERIES



ER-SM20 (W) MY

- 20 Litres
- 800W Microwave
- 255mm Turntable
- 5 Power Levels
- Weight & Time Defrost
- Slip-proof Oven Feet



MW2-MM21PF (BK)

- 21 Litres
- 800W Microwave
- 270mm Bigger Turntable
- 5 Power Levels
- Weight & Time Defrost
- Slip-proof Oven Feet







MW2-MM24PF (BK)




- 24 Litres
- 800W Microwave
- 270mm Bigger Turntable
- 5 Power Levels
- Weight & Time Defrost
- Slip-proof Oven Feet



PRODUCT SPECIFICATIONS

Model	MW2-AC26TF(BK)	ER-SGS20(K)MY	MW2-AG24PF(BK)	ER-SGS34(K)MY
				
Colour	Black	Black	Black	Black
Capacity (L)	26	20	24	34
Main Function	Convection	Grill	Grill	Grill
Voltage/ Freq. (V/Hz)	230-240/ 50	230-240/ 50	230-240/ 50	230-240/ 50
Microwave Power Output (W)	850-900	750-800	850-900	1000
Grill Power (W)	1050-1100	950-1000	1000-1050	1100
Convection Power (W)	2000-2100	-	-	-
Turntable Size (mm)	315	255	270	315
Control Type	Mechanical	Membrane	Mechanical	Membrane
Display	LED	LED	LED	LED
Power Level	5	11	5	11
Function				
Auto Cook Menu	10	9	8	9
Microwave	Yes	Yes	Yes	Yes
Grill	Yes	Yes	Yes	Yes
Convection	Yes	-	-	-
Pre-set Cooking	Yes	-	Yes	-
Combination Cooking	Yes	Yes	Yes	Yes
Defrost By Time	Yes	Yes	Yes	Yes
Defrost By Weight	Yes	Yes	Yes	Yes
Multi-cooking Function	Yes	Yes	Yes	Yes
Position Memory	Yes	-	-	-
Quick Start	Yes	-	Yes	-
End Cooking Signal	Yes	-	Yes	-
Net Weight (kg)	18.2	11.6	14.1	16.0
Gross Weight (kg)	20.4	13.1	15.2	18.3
Product Dimension (W x D x H) (mm)	513 x 513 x 310	440 x 325 x 258	485 x 383 x 293	519 x 406 x 315

PRODUCT SPECIFICATIONS

Model	ER-SM20(W)MY	MW2-MM21PF(BK)	MW2-MM24PF(BK)
			
Colour	White	Black	Black
Capacity (L)	20	21	24
Main Function	Solo	Solo	Solo
Voltage/ Freq. (V/Hz)	230-240/ 50	230-240/ 50	230-240/ 50
Microwave Power Output (W)	800	800	800
Grill Power (W)	-	-	-
Convection Power (W)	-	-	-
Turntable Size (mm)	255	270	270
Control Type	Mechanical	Mechanical	Mechanical
Display	-	-	-
Power Level	5	5	5
Function			
Auto Cook Menu	-	-	-
Microwave	Yes	Yes	Yes
Grill	-	-	-
Convection	-	-	-
Pre-set Cooking	-	-	-
Combination Cooking	-	-	-
Defrost By Time	Yes	Yes	Yes
Defrost By Weight	Yes	Yes	Yes
Multi-cooking Function	-	-	-
Position Memory	-	-	-
Quick Start	-	-	-
End Cooking Signal	-	Yes	Yes
Net Weight (kg)	11.2	11.0	13.0
Gross Weight (kg)	12.5	12.0	14.0
Product Dimension (W x D x H) (mm)	440 x 325 x 258	441 x 365 x 258	485 x 383 x 293

BINCHODIGITAL RICE COOKER

Every Grain matters with new Toshiba **BinchoDigital** series.

BINCHODIGITAL

Inspired by the Japanese Takumi spirit of perfection, we use the finest quality Binchotan from Japan Kishu-Wakayama.

It is produced at an extremely high temperature at 1200°C and ancient Japanese process, which is superior due to the combination of the best quality Japanese Oak and the traditional unique craftsmanship. Thanks to the far-infrared radiation produced by the charcoal, the rice are evenly cooked and sealed enhancing the natural flavor. We combined science and art to create this digital program that closely follows an ideal heating curve, allowing rice to sufficiently absorb moisture, be balanced and boiled without starch loss and swelling damage.

The result is the fluffy rice we all love.


PERFECT FROM TOP TO BOTTOM

Powered by DualHeat Technology

Unlike many mechanical rice cookers, heating is achieved from bottom and the top for a better cooking result. All that so you can have an all-around fluffy rice.



Digital Rice Cooker
Model : RC-18DR1NMY (1.8 Litre)



8-layer Bincho Charcoal Inner Pot (4.0mm)



Powered by **TakuFluffy Technology**



11 DEDICATED COOKING MENUS FOR VERSATILITY

Cake



Mixed Rice



Crispy Rice



Brown Rice



Congee



Sushi



Sticky Rice



Steam



Soup



Quick Cook



The Meaning Of

本: Basic, Origin, Real

厚: Thick

釜: A Metal Tool For Cooking And Boiling Water


HONATSUKAMA DIGITAL RICE COOKER

Every Grain matters with new Toshiba **Honatsukama Digital Rice Cooker**.

MEALTIME MADE EASIER

by The Boosted Essential Digital Functions

Toshiba digital rice cooker series provides multiple easy cook functions including "QUICK COOK" that helps prepare recipes in 30 minutes or less. Auto keep warm function that helps retain freshness in rice for up to 6 hours and preset timer that you can use to decide the time you want to keep rice or soup ready.



**5-layer
Honatsukama Inner Pot
(2.2mm)**



Digital Rice Cooker 2.2mm

Model : RC-10DH1NMY (1.0 Litre)

: RC-18DH1NMY (1.8 Litre)



Cake Function



Detachable Steam Vent



Detachable Inner Lid



Non-stick Coating



Quick Cook



LED Display



11 Modes



Automatic Keep Warm



Powered by
Takufluffy Technology



24h Timer To Manage
When To Finish Cooking



Home Cooking Becomes
Easier Than Ever

DIGITAL RICE COOKER

Forged Thick Pot

The forged thick pot is made using Toshiba's special method. The 60° circular base easily transmits uniform heat in the same way as Japan's famous Hagama Pot by creating a great water convection to carry heat efficiently to the heart of every single grain of rice.

4mm Thick Pot

Toshiba's exclusive forged thick pot is 4mm thick. The pot makes the rice cooker both a heat conductor and capacitor for each and every grain of rice and cooks quickly and evenly.

Surrounding Heat System

A triple heater heats the inner pot from the bottom, side and top, to evenly transmit heat, for perfectly-cooked meals.

Dew Proof Keep Warm Heater

Heater surrounds the edge of inner pot, evenly heat and prevent the dew which tend to make rice watery.



Built-in Clock

Handy and convenient, the built-in clock enables you to easily set the exact time for meals to be cooked.



Steam vent can be removed and washable.



Inner lid is detachable for easy cleaning and beehive-shaped is specially designed to detect the presence of steam after cooking.



Digital Rice Cooker

Model : RC-18NMFIM (1.8 Litre)



Build In Clock



Top And Bottom Heating



Detachable Steam Vent



4mm Thick Pot



Surrounding Heat System



Detachable Inner Lid



Non-stick Coating



Quick Cook



LED Display



11 Modes



Automatic Keep Warm

The perfect angle of 60° and forged thick pot generate strong heat convection inside the rice cooker.



4-layer
Hagama Pot
(4.0mm)



- 4mm Forged Thick Pot with Non-stick Coating
- Surrounding Heating System
- Detachable Lid and Steam Vent For Easy Cleaning
- Build In Clock
- One Touch Menu :
 - a. Cook - White Rice, Mixed Rice, Congee
 - b. Baking / Soup
 - c. Fermentation (Bread Making Feature)
 - d. Boiling Egg
 - e. Warming Soup



PRODUCT SPECIFICATIONS



Model	RC-18DR1NMY	RC-10DH1NMY	RC-18DH1NMY	RC-18NMFIM
Capacity (L)	1.8	1.0	1.8	1.8
Voltage (V)	220-240		220-240	220-240
Frequency (Hz)	50/60		50/60	50/60
Keep Warm (Hour)	12		6	12
Heater Power				
Ratings (W)	780-928	605-720	760-904	750
Lid Heater	Yes		-	Yes
Color				
Body	Gold		White	White
Steam Vent	Plastic Cover (Large)		Plastic Cover (Large)	Plastic Cover
Inner Pot				
Inner Coat	Black Non-stick Coating with Japan Bincho Charcoal		Black Non-stick Coating	Black Non-stick Coating with Aluminium Alloy
Outer Coat	Black Paint		Black Paint	Heat-resistant Paint
Layers	8		5	4
Dimple Honey-comb	-		Yes	-
Thickness (mm)	4.0		2.2	4.0
Inner Lid				
Material	Aluminum		Aluminum	Aluminum
Detachable	Yes		Yes	Yes
Detachable Vent	Yes		Yes	Yes
Operation Area				
Display	LED		LED	LED
Timer (Hour)	24 (pre-set)		24 (pre-set)	24 (pre-set)
Quick Cook (min)	Approx 30		Approx 30	Approx 30
Number of Programs	11		11	11
Accessory				
Steamer	Stand		Basket	Stand
Rice Scoop	Yes		Yes	Yes
Soup Scoop	Yes		Yes	-
Measuring Cup	Yes		Yes	Yes
Net Weight (kg)	4.4	3.2	3.9	4.5
Size (W x D x H) (mm)	287 x 393 x 254	271 x 368 x 212	287 x 393 x 254	280 x 352 x 249

JAR RICE COOKER

EASY COOKING TASTY RICE

Simple and easy use Toshiba rice cooker make the rice preparation effortless and timesaving. The non-stick coated inner pot and the detachable inner lid that facilitate cleaning to the fullest.



Jar Rice Cooker
Model : RC-18JH1NMY (1.8 Litre)

Jar Rice Cooker
Model : RC-18JR1NMY (1.8 Litre)



Jar Rice Cooker with Congee Function
Model : RC-10JS1NMY (1.0 Litre)
RC-18JS1NMY (1.8 Litre)



PRODUCT SPECIFICATIONS

Model	RC-18JH1NMY	RC-18JR1NMY	RC-10JS1NMY	RC-18JS1NMY
Capacity (L)	1.8	1.8	1.0	1.8
Voltage (V)	220-240	220-240	220-240	220-240
Heater Power				
Ratings (W)	650-774	650-774	500-595	650-774
Lid Heater	-	Yes	Yes	Yes
Color				
Body	Metal with Painting	Gold Metal	Gold Metal	Gold Metal
Upper Lid	White	White	White	White
Inner Pan				
Inner Coating	Grey Non-stick Coating	Grey Non-stick Coating	Grey Non-stick Coating	Grey Non-stick Coating
Thickness (mm)	1.0	1.7	1.7	1.7
Inner Lid				
Material	Aluminum	Aluminum	Aluminum	Aluminum
Detachable	Yes	Yes	Yes	Yes
Steam Vent / Cap	Detachable Vent	-	-	-
Vapour Holder	Yes	Yes	Yes	Yes
Menu Contents	Cook, Warm	Cook, Warm	Cook, Warm, Congee	Cook, Warm, Congee
Accessory				
Steam Basket	Yes	Yes	Yes	Yes
Rice Scoop	Yes	Yes	Yes	Yes
Measuring Cup	Yes	Yes	Yes	Yes
Net Weight (kg)	2.4	2.8	2.4	2.9
Size (W x D x H) (mm)	280 x 263 x 289	280 x 263 x 289	255 x 254 x 240	280 x 288 x 289

KETTLE

Enjoy...Quality life

STRIX THERMOSTAT

Equipped with the world's leading British Strix Thermostat, it provides a precise temperature control to ensure the water is fully boiling. It is auto shut-off after water boils and with boil-dry protection, which eliminates the risks associated with using low quality components. It is long lasting which is tested up to 10,000 times.



◀ 304 FoodGrade Quality

It comes with food grade materials, the finest durable #304 stainless steel for interior and inner lid. It is created with high level of nickel so gathers rust hardly, besides, it is no unpleasant taste and smell. The premium quality craftsmanship matters.



CoolTouch ▶

This kettle is intelligently designed with a double wall that prevents you from getting burned when the kettle is operating.



◀ Extra-wide Lid Open & Anti-splash Lid




Concealed Heating Element & Seamless Interior ▶

Kettle (1.7 Litre) Model: KT-17SH1NMY

- Auto shut-off Protection
- Concealed Heating Element
- Durable Strix Thermostat
- 304 Food Grade Stainless Steel
- Anti-splash Lid
- 360° Rotating Base For Easy Serving
- Non-flammable Material

Kettle (1.7 Litre) Model: KT-17DR1NMY

- Double Wall For Safe Touch
- Auto shut-off Protection
- Concealed Heating Element
- Durable Strix Thermostat
- 304 Food Grade Stainless Steel
- Seamless Interior, Easy Cleaning
- Anti-splash Lid
- Large Caliber For Easy Cleaning
- 360° Rotating Base For Easy Serving
- Non-flammable Material



*For KT-17DR1NMY only



PRODUCT SPECIFICATIONS

Model	KT-17SH1NMY	KT-17DR1NMY
Color	Stainless Steel + Black	Stainless Steel + Black
Total Volume (L)	1.7	1.7
Voltage / Frequency (V/Hz)	220-240 / 50-60	220-240 / 50-60
Power Input (W)	1850-2200	1800-2150
Strix Thermostat	Yes	Yes
SUS 304 Food Grade Stainless Steel	Yes	Yes
Concealed Heating Element	Yes	Yes
Stainless Steel Anti-splash Lid	Yes	Yes
Extra-wide Lid Open	-	Yes
Double Wall CoolTouch	-	Yes (Dual Stainless Steel Layer)
Seamless Interior	-	Yes
Weight (kg)	0.95	1.22
Size (W x D x H) (mm)	215 x 150 x 240	214 x 160 x 245

BLENDER


Features with a 6-point stainless steel blade for perfect crushing and chopping everytime.

JIGSAW BLADES

Grinding, Crushing And Blending Made Easier

The blade is one of the key element of the blender performance. It comes with the innovative JIGSAW blades, that is made of serrated full stainless steel. It has 6-point to cut, pulverize and whirl food at multiple angles to deliver the smooth and silky texture.

Enjoy the creamy texture without worry about leaving pieces while blending.



▼ Multi-functionality
Different speed / function for more effective depends on ingredient blending.



RealSMOOTH Blender (2.0 Litre) Model : BL-70PR1NMY

- 1.5 Effective Capacity
- Jigsaw 6-point Blade
- 700W
- Anti-slip Feet
- 3-speed Control
- Ice Crush
- Smoothie
- Pulse / Clean
- Interlock Protection
- Come with Grinder

RealSMOOTH Blender (2.0 Litre) Model : BL-70PR2NMY

- 1.5 Effective Capacity
- Jigsaw 6-point Blade
- 700W
- Anti-slip Feet
- 3-speed Control
- Ice Crush
- Smoothie
- Pulse / Clean
- Interlock Protection
- Come with Grinder, Food Processor & Juice Filter



▲ Powerful 700-watt Motor
This blender has a power consumption capacity of 700 watts, allowing for powerful yet quiet processing.




*For BL-70PR2NMY only



The blender is versatile for crushing ice, pulverizing, grinding and much more. The 4-point blade delivers powerful and perfect results. This blender has simple 2-speed knob control and pulse function for easy operation.



Carrot Grinder Vege Grinder Chili Grinder Meat Grinder Peanuts Grinder



◀ **600-watt Motor**
2X durability with 25000 RPM



Stand Blender Model : BL-60PHNMY

- 1.5 Effective Capacity
- 600W
- 2-speed Knob Control
- Pulse / Ice Crush



PRODUCT SPECIFICATIONS

Model	BL-60PHNMY	BL-70PR1NMY	BL-70PR2NMY
Effective Volume (L)	1.5		1.5
Voltage (V)	220-240		220-240
Frequency (Hz)	50~60		50~60
Power Input (W)	600		700
Housing Material	Plastic		Plastic
Up-lid Material	Plastic		Plastic
Interface Way	Mechanical		Digital
Color	White		White
Product Key Features			
Full Stainless Steel Blade	4 Slices Blade	6 Slices Blade	6 Slices Blade
Base Security Lock	Yes	Yes	Yes
0.4L AS Grinder Cup	Yes	Yes	Yes
6 Programed Quick Buttons For Easier Operation	-	Yes	Yes
Anti-slip Rubber Feet	-	Yes	Yes
Juice Filter	-	-	Yes
Food Processor	-	-	Yes
Net Weight (kg)	1.5		1.9
Size (W x D x H) (mm)	175 x 195 x 384		161 x 161 x 395
Accessory			



DIGITAL ELECTRIC POT

Enjoy a cup of your favourite hot drink at any time of the day with the elegantly-designed digital electric pot. It has an automatic re-boiling function which means you will always have hot water ready whenever you need it. These electric pots help you multi-task effortlessly and save you valuable time-ideal for homework and ladies on the go.

Designed for convenience. A smart triple safety design incorporated in the digital electric pot prevents accidents and scalding, ensuring safe operation. The electric pot also has a self-cleaning program and triple safety design to ensure safe operation and easy maintenance.

A unique and intelligent light sensor (PLK-45SFIM) automatically senses the lighting condition around it and adjusts its temperature according to after the time has been pre-set – saving lots of energy.

To clean the digital electric pot, remove the filter, which is at the bottom of the pot and scrubs dirt away with a brush. Wipe the inner pot gently with a sponge and wash it with water.



Digital Electric Pot (3.0 Litre) Model: PLK-30FLIM (WT)

- 6 Hours Energy Saving Timer
- Chlorine Odor Reducing Function
- Triple Safety Design
- Water Empty Sensor
- Memory Function

Digital Electric Pot (4.5 Litre) Model: PLK-45SFIM (WT)

- Energy Saving Mode with Light Sensor Technology
- 6 Hours Energy Saving Timer
- Chlorine Odor Reducing Function
- Triple Safety Design
- Water Empty Sensor
- Memory Function



*For PLK-45SFIM only



PRODUCT SPECIFICATIONS


Model	PLK-30FLIM (WT)	PLK-45SFIM (WT)
Category	Digital Electric Pot	Digital Electric Pot
Capacity (L)	3.0	4.5
Body Material	Thermos Tolerant Plastic	Thermos Tolerant Plastic
Inner Coating	Stainless Steel	Stainless Steel
Color	White	White
Power Supply		
Power Consumption (W)	700	700
Voltage / Frequency (V/Hz)	220-240 / 50-60	220-240 / 50-60
Energy Saving	Energy Saving Timer	Light Sensor Power Saving, Energy Saving Timer
Convenience		
Water Supply System	Electric Pump	Electric Pump
LCD Intelligent Display	Yes	Yes
Water Ball Indicator	Yes	Yes
Temperature Adjustable (°C)	60 / 85 / 98	60 / 85 / 98
Soft / Normal Pouring Water Supply	-	Yes
Full Boil / Reboil	Yes	Yes
Temperature Setting Memory	Yes	Yes
Rotatable Base	Yes	Yes
Safe / Clean	Water Empty Sensor, Self-cleaning Container, Triple Lock, Chlorine Odor Reducing Function	Water Empty Sensor, Self-cleaning Container, Triple Lock, Chlorine Odor Reducing Function
Weight (kg)	2.3	2.7
Size (W x D x H) (mm)	297 x 259 x 222	306 x 283 x 224

FAN

Excellent Blowing Experience Coolness in the House.

▼ Powerful Motor*

The ball bearing motor provides large air volume than the usual motor, as well as more durable.




*For model F-SYA10(G)MY & F-TSA20(G)MY



16" Table Fan
Model : F-TSA20(G)MY

- 16 Inch (5 Blades)
- Dual Channel Air Fan Guard
- Powerful Motor
- 11m Long-distance Blowing
- 3 Adjustable Speed Operation



12" Table Fan
Model : F-TSA10(G)MY

- 12 Inch (3 Blades)
- 3 Adjustable Speed Levels
- Easy Mechanical Operation




Stand Fan with Timer
Model : F-LSA10(W)MY

- 16 Inch (5 Blades)
- 3 Adjustable Speed Levels
- 2-hour Timer
- Easy Mechanical Operation



Stand Fan
Model : F-SYA10(G)MY

- 16 Inch (5 Blades)
- Dual Channel Air Fan Guard
- Powerful Motor
- 11m Long-distance Blowing
- 3 Adjustable Speed Levels



▲ Dual-channel Air*

The innovative fan guard design creates dual-channel air, effectively increasing the pressure of the air.



▲ 11m Blowing Distance*

With 280m/min air speed, it brings coolness to the entire house.

*For model F-SYA10(G)MY & F-TSA20(G)MY



Wall Fan with Remote Control
Model : F-WSA20(W)MY

- 16 Inch (3 Blades)
- 3 Adjustable Speed Levels
- 6-hour Timer
- Remote Control Operation



Wall Fan
Model : F-WSA10(W)MY

- 16 Inch (3 Blades)
- 3-speed ON/ OFF Pull Switch
- Oscillation Control by Pull Switch
- Flexible Neck Adjustment

PRODUCT SPECIFICATIONS

Model	F-LSA10(W)MY	F-SYA10(G)MY	F-TSA20(G)MY	F-TSA10(G)MY	F-WSA20(W)MY	F-WSA10(W)MY
Category	Stand Fan	Stand Fan	Table Fan	Table Fan	Wall Fan	Wall Fan
Blade Diameter (mm/inch)	400/16	400/16	400/16	300/12	400/16	400/16
Number of Blade	5	5	5	3	3	3
Material of Blade	ABS	ABS	ABS	ABS	ABS	ABS
Dual Channel Air Fan Guard	-	Yes	Yes	-	-	-
Powerful Motor	-	Yes	Yes	-	-	-
11m Long-distance Blowing	-	Yes	Yes	-	-	-
Oscillation Horizontal (°)	85	80	80	80	80	80
Timer Off (Hour)	Up To 2	-	-	-	1/ 2/ 4/ 6	-
Mode						
Normal	Speed 1-3	Speed 1-3	Speed 1-3	Speed 1-3	Speed 1-3	Speed 1-3
Simulating Nature	-	-	-	-	Level 1-3	-
Slumberous	-	-	-	-	Level 1-3	-
Remote Control	-	-	-	-	Yes	-
Adjustable Height of Unit	Yes	Yes	-	-	-	-
Power Supply (V)	220-240	220-240	220-240	220-240	220-240	220-240
Power Consumption (W)	50	55	55	45	55	55
Color	White	Light Grey	Light Grey	Light Grey	White	White
Net Weight (kg)	7.2	7.0	3.4	2.8	3.6	3.6
Size (W x D x H) (mm)	452 x 400 x 1370	455 x 400 x 1330	452 x 290 x 600	300 x 240 x 560	452 x 350 x 540	452 x 350 x 540

INSTANT ELECTRIC WATER HEATER

TOSHIBA SAFE GUARD

Your Toshiba water heater will automatically detect whether the grounding connected normally, only when it's normal, your Toshiba water heater will be activated. Should leakage occur, current will flow through the earthing line and keep you safe.



DSK38ES3MB



Peace of mind assured with double relay safety protection

Should there be any electricity leakage, both "L" and "N" wires will be cut off at the same time, ensuring your safety at all time.




Set your preferred temperature precisely

The Smart Control System with an LED display allows you to Set the temperature you need.



Energy-saving and Quiet DC Pump

The DC pump greatly increases water pressure for a more powerful and enjoyable shower saving you 60% in energy compared to AC pump and is also super quiet at just 38db



Prevent Scalding with Whirl Water Flow technology

A dual heating element improves heating efficiency and stabilizes the temperature to prevent accidental scalding from occurring.

Different shower modes for a more pleasurable shower

5 versatile shower modes are available:



STANDARD

Full body sprays relieve muscle tension to rejuvenate and invigorate your body



SOOTHE

Provides cooling relief on hot summer day or after exercise



COMBO

Mixes standard sprays with pulsating streams to smooth and revitalize



MASSAGE





Uses pulsating jets of water to relieve stress



JUMBO

Concentrates a stream of water into a small area for fast rinsing

PRODUCT SPECIFICATIONS

Model	DSK38ES3MB-RS	DSK38ES3MB	DSK38S3MW	DSK38S5MW
	INSTANT ELECTRIC WATER HEATER (WITH PUMP + RAIN SHOWER)	INSTANT ELECTRIC WATER HEATER (WITH PUMP)	INSTANT ELECTRIC WATER HEATER (WITH PUMP)	INSTANT ELECTRIC WATER HEATER (WITHOUT PUMP)
				
- Main				
Colour	Black	Black	White	White
Knob Quantity	1	1	1	1
Installation	Wall-Mounting	Wall-Mounting	Wall-Mounting	Wall-Mounting
- Power Supply				
Rated Voltage (V)	240	240	240	240
Rated Frequency (Hz)	50	50	50	50
Rated Power (W)	3800	3800	3800	3800
Rated Current (A)	0-16	0-16	0-16	0-16
Wire Core Diameter (mm)	4	4	4	4
- Function				
Air Switch (A)	>20	>20	>20	>20
Rated Pressure (MPa)	0	0	0	0
Minimum Flow Rate (liters/minute)	1.2	1.2	1.2	1.2
Minimum Pressure (MPa)	0.03	0.03	0.03	0.03
Maximum Pressure (MPa)	0.3	0.3	0.3	0.3
Protection Class	1	1	1	1
Water Proof Class	IP25	IP25	IP25	IP25
- Size & Weight				
Product Size (L x H x W) mm	200 x 400 x 97	200 x 400 x 97	200 x 400 x 97	200 x 400 x 97
Outer Carton Size (L x H x W) mm	398 x 675 x 125	260 x 660 x 125	260 x 660 x 125	260 x 660 x 125

TOSHIBA

**99.99%
Bacteria
Free**



DISHWASHER

HYGIENE*
MATTERS.

Up to 70°C high temperature during washing, efficiently promotes the optimum clean results for the heaviest soiled dishware and cooking utensils, guaranteeing your tableware fairly hygienic to use. #DetailsMatter



DISHWASHER

HI-TEMP Hygiene Cycle

Maximum 70°C high temperature washing, promotes optimum cleaning results for the heaviest soiled dishware and reduces 99.99% of bacteria.



70°C HI-TEMP
Water Washing

40-60°C Temperature
Water Washing

Effortless Eco-dishwashing

Dishes are beautifully cleaned with less efforts and water consumption.



**Saving 85% +
Water Consumption**

*1 : The data mentioned here refers to the water consumption of ECO mode.

*2 : According to "Washing-up behaviour and techniques in Europe" published by Stamminger et al. in 2007, the estimated average water consumption of hand wash is 103L




Flexible Rack System, Infinite Loading Flexibilities

Allow you stack more categories of tableware, glassware, utensils and even cookware, and make loading and unloading so smooth.




Versatile Cutlery
Basket



Loaded Height-adjustable
Upper Rack




Foldable Flip
Tines



Slidible Cutlery Tray

Anti-bacterial*3 Filter Reduces 99.9% of Bacteria

Our filter, employed anti-bacterial material, constantly inhibits micro-organism buildup inside the tub, ensuring a high level of health protection by reducing 99.9% of bacteria.



Soil-sensing Auto Cycle

Intelligently manipulates electricity and wate consumption, by detecting and evaluating the type and the level of soiling, to deliver fresh and clean tableware with lower cost.




Smart Power-off Memory

Power-off Memory function can remember the unfinished wash cycle, when there is a sudden outage, and continue the washing process when power is back on, without a need to operate it again.

DISHWASHER


DW-14F2(BS)-MY



DW-14F1(S)-MY



DW-08T1(S)-MY



PRODUCT SPECIFICATIONS

	DW-14F2(BS)-MY	DW-14F1(S)-MY	DW-08T1(S)-MY
Family Size	12 - 14	12 - 14	8-12
Capacity	14 Place Settings	14 Place Settings	8 Place Settings
Water Consumption	11L	11L	8L
Control Type	Touch Control	Electronic button Control	Electronic button Control
Size (WxDxH)	598 x 600 x 845(mm)	598 x 600 x 845(mm)	550 x 500 x 595(mm)
Energy Level	A++	A++	A+
Noise Level	44dB	49dB	49dB
Installation type	Freestanding	Freestanding	Table top
Program	8 (Auto Daily, Intensive, Hygiene, Eco, Glass, 90min, Rapid, Soak)	6 (Auto Daily, Hygiene, Eco, Glass, 90min, Rapid)	7 (Hygiene, Normal, Eco, Glass, 90min, Rapid, Self-cleaning)
Option	4 (Sanitization, Extra Drying, Power Wash, Express)	2 (Extra Drying, Power Wash)	
Start delay	24h	24h	24h
Others	Dual Zone, UV light, Mini dispenser, Adjustable Basket, Sliding Cutlery Tray, Anti Bacteria Filter	2 level tray, Half load, Mini dispenser, Adjustable Basket, Sliding Cutlery Tray, Anti Bacteria Filter	Anti Bacteria Filter

WALL MOUNTED AIR CONDITIONER


HIGH POWER

This function can boost cooling speed in a short period and make the room cool down rapidly.



Timer (On-Off)

The time can be set to start and stop at any point in 24 hours period.



ECO Sleep mode

This ECO Sleep operation saves energy and improves night time comfort by synchronising with the body's metabolism.



RAS-H10J2KG-M

Hi-Wall Fixed Speed R32 Cooling Only



High Power



Timer (On-Off)



ECO Sleep Mode



2 Ways Draining




Auto Restart



Refrigerant Leakage Detect



Better Air Solutions



2 Ways Draining Connection

Both left and right sides of indoor unit are possible for drainage hose connection, being easy for installation.

Auto Restart

If the unit loses power, it will automatically restart with the prior settings once power has been restored.



Refrigerant Leakage Detect

When system has leakage or compressor overload, the operation LED will flash 7 times to alarm users which could prevent the compressor being damaged.

PRODUCT SPECIFICATIONS

INDOOR UNIT			RAS-H10J2KG-M	RAS-H13J2KG-M	RAS-H18J2KG-M
OUTDOOR UNIT			RAS-H10J2AG-M	RAS-H13J2AG-M	RAS-H18J2AG-M
PERFORMANCE	Power supply	(Ph-V-Hz)	1 Ph / 220-240V / 50Hz		
	Cooling capacity	Btu/h	9000	12000	18000
	Power consumption	kW	0.76	1.00	1.50
	Operating current	A	3.40	4.60	6.90
	EER	W/W / Btu/W.h	3.47 / 11.84	3.51 / 12.0	3.51 / 12.0
	CSPF		5.18	5.25	5.25
	Energy grade		4	5	5
Max. Power consumption	kW	1.40	1.848	3.00	
Max. Operating current	A	6.40	9.50	14.0	
INDOOR UNIT	Dimension (W x D x H)	mm	805 x 194 x 285	805 x 194 x 285	957 x 213 x 302
	Net weight	kg	8.1	8.4	11
OUTDOOR UNIT	Dimension (W x D x H)	mm	681 x 285 x 434	770 x 300 x 555	770 x 300 x 555
	Net weight	kg	24	28.2	37.8

Notice: Toshiba is committed to continuously improving its products to ensure the highest quality and reliability standards, and to meet local regulations and market requirements. All features and specifications are subject to change without prior notice. T2020-B03-FX R32-M

WALL MOUNTED INVERTER AIR CONDITIONER

TOSHIBA R32 INVERTER
REFRIGERANT



SELF CLEANING

Fireproof Electrical box



Twin- rotary Cylinder



Double Clean System

Self-Cleaning Function + Acrylic Resin Coated
Leading innovation with an air conditioner that reduces water and oil formation and prevents dust sticking to the unit and with a self-cleaning function to extend the product life.

Self-Cleaning Function

30 minutes of fan operation after shut down dries the moist air and helps reduce mould formation.



NATURAL AIR-FLOW





Without

Acrylic Resin Coated



With

Acrylic Resin Coated



RAS-H24U2KCV2G-M

HI-WALL SINGLE SPLIT TYPE



High Power



ECO




12 AUTO Swing & Fix Louver



5 AUTO 5-Selectable Fan Speed Plus Auto

Thunder surge protection



Surge absorber device is added to protect the whole PCB from the high current like thunder surge up to 10,000 voltage.

Noise Filter is equipped to prevent fluctuated voltage so that Aircond can operate smoothly with highly reliable.

Lizard protection E-box

Prevention small animal getting into the E-box




Fireproof Electrical box


Fireproof electrical enclosure both indoor and outdoor unit, Flame must not be spread.

Toshiba Inverter Technology

01 Temperature Control




02 Faster Cooling



03 Energy Saving

Testing condition
Indoor temperature : Setting at 25°C
Ambient temperature at 35°C



WALL MOUNTED INVERTER AIR CONDITIONER

NEW
"NICE & EASY"
Remote controller




RAS-H10U2KCV2G-M



RAS-H13U2KCV2G-M

RAS-H18U2KCV2G-M

- 5-Selectable Fan Speeds plus Auto**
 Choose your desired airflow from the five fan speeds or select the Auto Fan Speed mode and let the air conditioner select for you.
- Swing & Fix Louver**
 Select your preferred airflow distribution: "Fix" to choose any on of the 12 louver positions or "Swing" to automatically move between all positions.
- OFF Timer**
 Toshiba remote control provides a very convenient automatic stop operation, programmable for 0.5, 1.0, 1.5, ..., 9, 10, 11, 12 hours.
- Hi POWER**
 Select "HI POWER" for extra airflow intensity that will cool you down much faster than standard operation.
- ECO**
 Achieve energy-savings of up to 25% compared with standard settings without sacrificing comfort.



RAS-H10U2KCV2G-M



RAS-H13U2KCV2G-M



RAS-H18U2KCV2G-M

RAS-H24U2KCV2G-M

PRODUCT SPECIFICATIONS

INDOOR UNIT			RAS-H10U2KCV2G-M	RAS-H13U2KCV2G-M	RAS-H18U2KCV2G-M	RAS-H24U2KCV2G-M
OUTDOOR UNIT			RAS-H10U2ACV2G-M	RAS-H13U2ACV2G-M	RAS-H18U2ACV2G-M	RAS-H24U2ACV2G-M
Power supply			(Ph-V-Hz) 1Ph / 230-240V / 50Hz			
COOLING	Capacity range (Min-Mid-Max)	kW	2.50 (0.90-1.25-3.00)	5.00 (1.15-2.50-5.90)	3.50 (1.05-1.75-3.90)	6.00 (1.20-3.00-6.80)
	Power consumption	kW	0.83 (0.25-0.31-1.05)	1.66 (0.30-0.57-2.10)	1.20 (0.32-0.43-1.40)	1.85 (0.24-0.54-2.10)
	Operating current	@230 @240 A	3.85 (1.30-1.58-4.80) 3.66 (1.24-1.52-4.60)	5.60 (1.55-2.06-6.35) 5.40 (1.48-1.97-6.05)	7.40 (1.67-3.05-9.25) 7.05 (1.59-2.94-8.85)	8.25 (1.35-2.87-9.35) 7.90 (1.28-2.75-8.95)
	EER	W/W	3.01 (3.60-4.03-2.86)	2.92 (3.28-4.07-2.79)	3.01(3.83-4.39-2.81)	3.24(5.00-5.56-3.24)
INDOOR UNIT	Dimension (H x W x D)	mm	250 x 740 x 195	293 x 798 x 230	293 x 798 x 230	320 x 1050 x 250
	Net weight	kg	8	9	10	14
	Airflow volume (high)	m ³ /h	534	876	768	1020
	Dehumidifying capacity	l/h	1.5	2.8	2.0	3.5
	Sound pressure (high-low)	dB(A)	41/38/35/32/28	48/44/39/33/25	43/41/36/30/23	45/43/40/38/35
	Sound power (hight)	dB(A)	56	63	58	60
	Fan motor output	W	25	30	35	30
OUTDOOR UNIT	Dimension (H x W x D)	mm	530 x 598 x 200	550 x 780 x 290	530 x 660 x 240	550 x 780 x 290
	Net weight	kg	18	33	22	34
	Refrigerant type		R32	R32	R32	R32
	Compressor output	W	550	900	780	900
	Fan motor output	W	43	43	18	43
	Usable temperature range	°C	~10-46	~10-46	~10-46	~10-46
PIPE SIZE	Liquid side ø	mm (inch)	6.35 (1/4")	6.35 (1/4")	6.35 (1/4")	6.35 (1/4")
	Gas side ø	mm (inch)	9.52 (3/8")	12.7 (1/2")	9.52 (3/8")	12.7 (1/2")
	Maximum length	m	15	20	15	20
	Chargeless length	m	15	15	15	15
	Additional refrigerant charge	g/m	-	-	20	20
	Maximum height difference	m	12	12	12	12
ACCESSORY	Remote control model		WC-UA02NE	WC-UA02NE	WC-UA02NE	WC-UA02NE




Rated conditions: Cooling: Indoor air temperature 27°C DB / 19°C WB, Outdoor air temperature 35°C DB

TOSHIBA

Toshiba Sales & Services Sdn. Bhd. (Company No: 32538-D)

Ground Floor & Level 5, Bangunan Palm Grove II, No: 12, Jalan Glenmarie (Persiaran Kerjaya) Section U1, 40150 Shah Alam, Malaysia.

• **Selangor** tel: 03-5565 8000 fax: 03-5565 8080 **Service Centre:** 1-300-88-7899 fax: 03-5565 8080 • **Penang** 04-506 2576 • **Perak** 05-321 0068
• **Johor** 07-3536 988 • **Melaka** 06-2829 682 • **Pahang** 09-5661 934 • **Kelantan** 09-744 3461 • **Sabah** 088-437 787 • **Sarawak** 017-800 6068

 www.toshiba.com.my  **1-300-88-7899**  **Toshiba Malaysia**



* Product size, product weight, and related specifications are theoretical values only, actual measurements between individual products may vary.

* All specifications are subject to the actual product and change without prior notice.

* Color tone of actual products may differ from those featured in this catalogue.

* Printed as in Jan 2021